



JAHRA

The gardening tool from Germany

Handcrafted tools with character - without plastic, without toxic substances.



Member of Rat für Formgebung







Tradition is not the holding of ashes, but the passing on the flame.

Thomas Morus



For eight generations, the forge 'Guttenbergerhammer' has been a family business. Passed down time and again to the son, carrying with it all the experiences and secrets of a life as a blacksmith. And always under the name that stands for unadulterated craftsmanship: Krumpholz.

Find out more about our history: www.krumpholz1799.de/225-jahre





Created by masters, destined for the future.



Timeless quality for 225 years

Dear friends of gardening,

for 225 years, our goal at Krumpholz Tools has been to unite the passion for gardens and craftsmanship. It's been a journey spanning generations, inspiring us to honor our ancestors' legacy while propelling innovation forward.

Our roots delve deep into the history of our family and ries. Stories of dedication, expertise, and an inheritance craft. Since 1799, we've been dedicated to tradition - a shaped across many generations. tradition based on quality, precision, and an unwavering belief in craftsmanship. These principles are embedded in It fills me with pride to present to you our new product caevery tool leaving our workshop, carrying the heritage of talog. Dive in and discover tools that will not only nurture our 225-year history. plant growth but also ignite your own passion for gardening.

Therefore, our new product catalog is more than just a collection of tools. It's a tribute to the art of craftsmanship With gratitude for your continued trust and support thcaptured in every hammer, hoe, and spade. Each tool has roughout our 225-year journey.

> With best regards from Upper Franconia, Claus Krumpholz

Owner of Krumpholz-Werkzeuge e.K.

The Guttenbergerhammer

Cool and deep in the quiet bottom it dreams at the edge of the stream, Trees stand in the round, building a green wall. From the half-darkness of the forge, the glow of the fire shines brightly, Ring-sound! Ring-ring-ring! Twinkling light ... The boys' song mingles with it.



been meticulously crafted not only to meet our customers' needs but also to carry forward the tradition they represent.

In a world of constant change, we've upheld our values. We've harmoniously blended tradition and innovation to create tools that are not just functional but also tell sto-









116	Paving hammers
116	Sledge hammers
117	Mallets
117	Stone chopping sledges
117	Cross hammers
118	Nail pullers
118	Crowbars
118	Stripping iron
120	Ice pushers
120	Snow shovels
120	Hand excavator
121	Forks

Forestry tools

130 Axes with leather protection 132 Axes with drive head

- 134 Universal hatchets **136** Felling and pruning axes 140 Splitting axes with protection 143 Splitting axes **143** Splitting hammers 145 Splitting wedges
 - 146 Pickaroons
 - 146 Pickaroon axes
 - 148 Lifting and towing pliers
- 148 Outdoor axes
- 149 Woodworking
- 149 Billhooks

Accessories

148 Shafts & Handles

- Company
- **10** Quality by tradition
- **12** History of the company
- **16** Review of our anniversary
- 18 Artisanal blacksmithing
- 22 Sustainable production
- 24 A brand of the century
- 26 Awards
- 32 Sponsoring

Gardening tools

- Gardening hatchtes & axes 41
- Outdoor 43
- 45 Trowels
- 50 Cultivator

- 55 Hand forks
- 56 Organic tools
- 56 Planting knives 57 Planting tools
- 60 Spades
- 70 Edging knife
- 73 SPORK
 - 74 Rose and weeding fork
 - 74 Hand spades
 - 77 Forks
 - 81 Hand hoes
 - 82 Hoes with round eye
 - 88 Gardening hoes
 - 90 Hoes
- 90 Grub hoes
- 90 Picks
- 94 Weeders

- 98 Gardening disks
 - 98 Sickles and scythes
 - 101 Cape Cod Weeder
 - 101 Dandelion screw

 - 109 Rakes

Landscaping tools

112 Shovels, EURO quality

115 Shovel American style

115 Hollow spades

- www.krumpholz1799.de

- - 96 Crack weeders

 - **101** Garden sickle
 - 103 Bonsai tools
 - 104 Junior tools
 - 106 Shovels
 - 108 Pus hoe





Retailer information


159 Sales displays

160 Reference solutions

Service

- 168 Item number directory
- **170** Imprint / Terms and conditions

the extraordinary



grit. You can see that at first glance. You can feel it with the first touch. Durable ash handles, hard hickory wood and fire-forged iron parts - this is how you build gardening tools of real value.

Find out more about our history: www.krumpholz1799.de/225-jahre





Quality by tradition: Family-run since 1799

The Krumpholz family can look back on 225 years of experience in the manufacture of high-quality hand tools, making the company one of the oldest family-run craft businesses in Europe.

Real gardening clothes, a firm grip and the aromatic humus scent of the garden soil - no plastic handle or gardening tool made of cheap sheet metal is a good match!

Gardening tools from Krumpholz are gardening tools made of real grit. You can see that at first glance. You can feel it with the first touch. Hard-wearing ash handles, hard hickory wood and fire-forged iron parts - that's how you build gardening tools of real value. Gardening tools that last. Also what the Krumpholz brand promises: traditional forging quality.

This forge is called "Guttenbergerhammer". It is located in Upper Franconia, close to the famous beer town of Kulmbach and tucked away in the deep Franconian Forest. On the banks of the large and small Rehbach streams, with the help of which the company's own generator produces the electricity for the entire operation.

Genuine workmanship

The "Guttenbergerhammer" forge has been a family business for eight generations, always passed on to the son along with all the experience and secrets of a long life as a blacksmith at the anvil and forge. Since 1799, and always under the proud name that stands for unadulterated quality workmanship: Krumpholz.

Even today, tools are still produced here in this blacksmith's forge in handcrafted work that you don't just buy. You buy

them. You invest in them. Because they accompany seasonal garden life for decades - and are passed on to the next generation of gardeners. Old garden tools are among them, such as dandelion pruners and bulb planters. New gardening tools have been added: Practical items such as sporks and garden disks.

And all of them are born from the heat of the blue-lame embers, from the power of the shaping blacksmith's hammer and from the unconditional will to produce nothing but solid quality.

The Guttenbergerhammer through the ages

Take a moment to look at these pictures: They show you the traditional Guttenbergerhammer, a forge in the Franconian Forest that is renowned among connoisseurs and whose foundation dates back to the Middle Ages.

It has been owned by the Krumpholz family since 1799. Passed down from father to son time and again, seven generations have lived and worked here as blacksmiths without exception - right up to the present day. What a wealth of experience, which to this day accounts for the high quality of our forged products, which are coveted throughout Europe! That is why even today, nothing but values are created in the Guttenberger Hammer - for people with values!

COLLABORATION BETWEEN THREE GENERATIONS

Since Johann David Krumpholz acquired the business in the Guttenberg hammer in 1799, it has been passed on from generation to generation. Today, three generations work together towards one goal: the production of tools of the highest forging quality. The picture above left shows the family with company owner Claus Krumpholz, his wife Elke, his father Georg and his son Claus Georg.

The Krumpholz family can look back on over 200 years of experience and tradition in the manufacture of high-quality hand tools. In 1799, Johann David Krumpholz acquired the business in Guttenberg Hammer in Upper Franconia. The hammer had been in existence for much longer and had been a well-known ironworks and armory for centuries before.

When it was taken over by the Krumpholz family, it became a factory for the manufacture of hand tools. This tradition has been preserved to this day.










Since 1799 in family ownership



Johann David Krumpholz born 14.12.1763 died 30.01.1832

1. Zacharias K. 2. Joh. Georg K.



1. Joh. Georg Leonh. K.

Bgm. Weidmes born 21.12.1834 1878-1891 died 01.12.1903 born 12.11.1861 1. Augusta K. 2. Johann K. born 01.01.1864 3. Fritz K. born 19.04.1866

Georg Krumpholz

1. Frieda K. 2. Berta K.

Georg Krumpholz

Berta K. 2. Anneliese K



born 10.12.1937

1. Georg K.

born 04.08.1963

Claus Krumpholz 1. Claus K.

born 12.03.1989

Claus Krumpholz jun.

born 12.03.1989

The Krumpholz company has been family-owned since 1799 and is now in its eighth generation, making it one of the oldest family-run craft businesses in Europe.

b		Barbara Krumpholz	h
born 14.12.1763			born 21.04.1779
died 30.01.1832	1 doceand		died 23.08.1820
born 26.04.1801	4 descendants	3. Katharina K.	born 05 02 1007
born 26.04.1801 born 10.01.1804		3. Katharina K. 4. Anna-Maria K.	born 05.02.1807 born 12.06.1813
001110.01.1604		4. Al II Id-Ividi Id N.	0011112.00.1013
olz		Johanna-Magdalena Krum	pholz
born 10.01.1804			born 05.08.1810
died 04.07.1878			died 03.07.1880
	2 descendants		
born 21.12.1834		2. Mathilde Frederike K.	born 27.07.1844
d Krumpholz		Anna-Maria Krumpholz	
born 21.12.1834			born 19.05.1838
died 01.12.1903			died 15.05.1896
	6 descendants		
born 12.11.1861		4. Georg K.	born 29.11.1868
born 01.01.1864		5. Hans K.	born 02.12.1872
born 19.04.1866		6. Hermann K.	born 26.03.1877
		Margareta Krumpholz	
born 29.11.1868		U 1	born 10.10.1871
died 02.05.1938			died 18.01.1935
	4 descendants		
born 08.03.1897		3. Hans K.	born 08.12.1902
born 14.08.1898		4. Georg K.	born 01.04.1905
h 04 04 4005		Frieda Krumpholz	h 00 00 1007
born 01.04.1905			born 30.06.1907
died 18.08.1985	1 doggenerete set		died 27.01.1985
born 10.06.1933	4 descendants	3. Georg K.	born 10.12.1937
born 09.11.1935		4. Heinz K.	born 27.10.1941
5011.6011.1955			0011127.10.1941
		Cigrid Krussehal-	
harn 10 12 1027		Sigrid Krumpholz	born 24 07 1040
born 10.12.1937			born 24.07.1940 died 06.07.2005
	2 descendants		uleu 00.07.2003
born 04.08.1963		2. Claus K.	born 05.02.1965
		Elke Krumpholz	
born 05.02.1965			born 18.08.1965
harn 12 02 1000	1 descendant		
born 12.03.1989			

Our company history

KRUMPHOLZ ® Werkzeugfabrikation seit 1799

The now renovated iron and zinc hammer is mainly used to produce tools for forestry and agriculture.

1860

Tools for the construction

and stone industry are also

manufactured.

1834



1799

Johann David Krumpholz acquires the Guttenbergerhammer business from Baron von und zu Guttenberg. Construction of the company's own hydroelectric power plant to generate electricity. Most of the machines are converted to electric drive.

1934

Major expansion and modernization of machinery and expansion of hydropower.

1950



1941-46

Georg Krumpholz is transferred to the Eastern Front and is taken prisoner. Meanwhile, the company keeps its head above water with repair work. Extension of a warehouse and modernization of the existing warehouse. Start of exports to

other European countries. **1992**

1970 Addition of a steel warehouse with crane and automatic band saws. Delivery to the whole of Germany.

1999

Investments in buildings and machinery. The company celebrates its 200th anniversary and is now one of the oldest family-run craft businesses. Krumpholz-Werkzeuge has been awarded important prizes for quality and brand management and is one of the ten oldest brands in Germany.




Start of production of exclusive Gardening toolsn. First delivery to dealers outside

Europe.

2008

Krumpholz-Werkzeuge celebrates its 220th anniversary. With the largest investment in the company's history, the production and storage area is almost doubled.



Takeover of the entire production of Europe's oldest pick and hoe manufacturer and relocation of production to the Guttenbergerhammer site.



Review of our company anniversary

From forge to world-renowned company: The specialist for high-quality gardening, forestry and construction tools has been around for 220 years.

In 2019, Krumpholz-Werkzeuge celebrated its 220th anniversary with extensive festivities. The manufacturer of high-quality gardening, forestry and construction tools invited guests to the inauguration of its new production hall - and around 300 guests accepted the invitation from the Grafengehaig-based company.

These included guests of honor from politics and business, including Werner Burger, Mayor of Grafengehaig, Klaus-Peter Söllner, District Administrator of Kulmbach, Thomas Zimmer, the President of the Chamber of Crafts for Upper Franconia, Henry Schramm, District President and Mayor of Kulmbach, Silke Launert, Member of the State Parliament, Heidrun Hemme, Pastor of the Grafengehaig market, who will also dedicate the forge, Michael Möschel, President of the Kulmbach Chamber of Industry and Commerce and Andrej Kupetz, Managing Director of the German Design Council.

"It is wonderful to receive such appreciation from all sides for the work and passion that our family has brought to this company for generations," commented owner Claus Krumpholz on the great response to the event. The large presence of well-known personalities is no surprise, as Krumpholz is a very special company. On the one hand, it is known for the design and further development of innovative and sustainable tools and for its many new products and patents beyond the country's borders.

The fact that Krumpholz is not only known to professional and amateur gardeners is also due to the history of the Grafengehaiger company: Krumpholz is one of the oldest family-run companies in Europe - the company has been producing for 220 years, now in its eighth generation - and stands for quality "made in Germany" worldwide. The company's ties to its home region are also second to none.

"We have been producing in Upper Franconia since the company was founded - and our family has lived the Krumpholz brand for just as long," says Claus Krumpholz. In 1799, Johann David Krumpholz acquired the company in Guttenberg Hammer, which had been a world-famous A tradition of quality since 1799.

ironworks and armory for centuries before. Krumpholz took the anniversary as an opportunity to inaugurate the largest investment in the company's history, the addition of a new production hall. The extension has almost doubled the storage and production area. An investment that was necessary, as the product range has continuously expanded in recent years. TASPO "Manufacturer of the Year" award and the "Brand of the Century" title): For all its tradition, contemporary issues such as resource conservation and environmental compatibility are also high on the agenda at Krumpholz. For example, the power of two adjacent streams is used to generate energy by means of two turbines, which supplies the company and the residential building. The surplus electricity is fed into the grid.

This was also the case after 2008, when Krumpholz decided to position itself as a supplier of exclusive, high-quality design tools. "For us, this was the logical and necessary step in our development: away from a ,cheap is cool' mentality towards sustainable quality," continues owner Claus Krumpholz.

His son Claus Krumpholz Jun. who now represents the eighth generation, has already indicated that he will continue on this successful path.

nue on this successful path.For Claus Krumpholz, this commitment shows one thing
above all: "The Krumpholz company looks back on an
eventful and great past, and that is exactly what is in the
foreground these days - but we are also well prepared for
the future."







By using the renewable energy source of hydropower, the forge can therefore produce self-sufficiently, with a secure supply and low carbon dioxide emissions at all times. Krumpholz also uses only natural materials for its tools, and no plastic. The wood for the handles is FSC-certified - i.e. from environmentally friendly, socially beneficial and economically viable forest management.





Artisan blacksmithing for generations

Spades, shovels and hatchets - Krumpholz-Werkzeuge makes a wide range of products. And they are all born from the heat of the blue-sludge embers, the power of the forging hammer and countless manual operations.

For 225 years, the name Krumpholz has stood for handmade tools of the highest quality. The family business has dedicated itself to the art of forging for generations and has become synonymous with excellent gardening tools "Made in Germany".

Tools "Made in Germany" for special requirements

In our blacksmith's shop, tools are created by hand that you don't just buy. You acquire them. You invest in them. Because they accompany seasonal garden life for decades - and are passed on to the next generation of gardeners.

Sooner or later, anyone who has been gardening for a long time will certainly experience how annoying it is when the first heavy load on a standard spade breaks the handle or the joints between different materials give way. But for the special requirements of forestry, gardening and landscaping, you need tools that guarantee a long service life.

That is why every one of our tools is hand-forged from first-class carbon steel and is still produced today through

A tradition of quality since 1799.

countless manual operations. But it is precisely this that guarantees the special quality of our tools. Our aim is to combine the highest level of quality with a wide range of products. The material is thoroughly kneaded during forging and the structure is compacted, which increases the

We have set ourselves the task of designing innovative and sustainable tools.

strength. By processing at very high temperatures, the desired shape changes can be achieved without major material losses.

Know-how meets selected materials ...

The individual metal parts are forged by hand. This requires skilled workers who know, understand and can assess their working material. This is the only way to create high-quality products with high aesthetics and resilience. The be-all and end-all in the manufacture of our tools is the exclusive use of selected materials.

Sturdy metal parts are manufactured from high-quality alloyed steels, whereby first-class workpiece properties are achieved. This has the advantage that each tool is ideally equipped for its specific tasks.

... and ensures a lifetime of pleasure with the tool

Everything is hand-finished and thoroughly checked in our forge. A standard that enables us to offer a lifetime guarantee against material or manufacturing defects. Because our aim is to combine the highest quality with a wide range of products.


Innovations inspired by people

We have set ourselves the task of designing and developing innovative and sustainable tools. To date, many innovations and patents from Krumpholz have made the demands of professional and amateur gardeners tangible, as our products are developed from generation to generation. The combination of experience and willingness to innovate









Despite this personalized touch on the products, the soul of each tool remains anchored in the precision and care of the craftsmen. Every touch, every cut and every nuance is applied by skilled hands to the highest quality in order to meet the standards of the Krumpholz brand.

This innovative approach allows us to preserve the tradition of craftsmanship while meeting the demands of modern times. Every tool that leaves our production facility is therefore not only a result of state-of-the-art and heritage of traditional craftsmanship.



forms the basis of our tool production. This is constantly being further developed to meet the highest demands of the quality-conscious gardener and professional forestry worker. Our tools are designed not only to work efficiently, but also to support the natural movements of the human body.

Combining tradition and innovation

Krumpholz tools stand for the heritage of tradition, the beauty of the art of forging and the functionality of high-quality gardening tools. By combining tradition and innovation, they have established themselves as indispensable companions for professionals and hobby gardeners who demand the highest standards from their tools at all times.

With this approach, we want to embody the perfect balance between tradition and innovation in the manufacture of high-quality tools. Our approach masterfully combines traditional craftsmanship with state-of-the-art production


www.krumpholz1799.de





Every movement, every cut and every nuance is Krumpholz is implemented by skilled hands to the highest quality.

Through this combination of tradition, innovation and sustainability, we are constantly striving to shape the future of craftsmanship and create high-quality tools that are renowned for their quality, durability and environmental friendliness.



Sustainable production in the heart of Upper Franconia

As a company and employer, we take our social and environmental responsibility very seriously. Central to this is our production powered by the force of water. For generations, the Guttenberger Hammer has operated using the hydraulic power of a reservoir fed by a stream.

In the picturesque region of Upper Franconia, surrounded by lush green forests and clear rivers, lies the venerable forge of Krumpholz Tools. For 225 years, this family-owned company has stood for excellent craftsmanship, and in recent years, it has also emerged as a pioneer in sustainable production.

The decision to keep production local is a central tenet of Krumpholz Tools' sustainable philosophy. Here, it's not

just about crafting tools but also about creating jobs and bolstering the local economy. This commitment to the region goes hand in hand with dedication to environmental protection and sustainable production practices.

One of the most impressive measures to reduce carbon dioxide emissions involves the implementation of new forging furnaces. These modern furnaces are not only more efficient but also environmentally friendly. By utilizing new

technologies, energy consumption has been significantly reduced, not only saving costs but also making a positive contribution to environmental protection.

Another step towards environmental compatibility is the power supply of the production facility through hydroelectric power. The region's clear waters are used to generate clean, renewable energy. This not only minimizes the ecological footprint but also ensures independence from fossil fuels.

Without plastic - without toxic substances

In an effort to avoid plastic waste, Krumpholz Tools consistently opts for tools without plastic. Both packaging and the tools themselves are designed to largely eliminate the use of plastic. This environmentally friendly approach spans the entire product lifecycle, from production to disposal. Another milestone in sustainable production is the consistent avoidance of toxic substances.

This not only protects the environment but also the health of those working with the tools. However, Krumpholz Tools' philosophy goes beyond merely avoiding environmental impacts. The products are crafted with a focus on durability and quality.

By consistently choosing to manufacture tools without Each tool is not only functional but also designed to last plastic and avoiding toxic substances, the company not for decades. This means less waste and a more sustainonly sets benchmarks in the quality of its products but able use of resources. also in its effort to minimize environmental impact.

Standards for a sustainable future This comprehensive sustainability strategy demonstrates that tradition and innovation can work hand in hand to The sustainable production at Krumpholz Tools stands forge a better future—tool by tool, generation by geneas an inspiring example of merging tradition with enration.



www.krumpholz1799.de



-1.150 tons of CO₂ per year

By acquiring four new ovens, we achieve a reduction of approximately 1,150 tons of CO₂ per year.

vironmental consciousness. The company proves that it's possible to combine craftsmanship excellence with a deep respect for nature. This path may be demanding, yet it contributes to shaping a world where high-quality tools are valued not just for their functionality but also for their positive impact on the environment. Krumpholz Tools sets standards for a sustainable future in craftsmanship.



A brand of the century

After 2016 and 2019, the consistently high-quality brand management of the family-owned company Krumpholz Werkzeuge from Grafengehaig was recognized with confirmation as a German "Brand of the Century".

A "Brand of the Century" can only be named if it is listed as such in the German standards. Six years ago, the Upper Franconian forge Krumpholz Werkzeuge was included in the prestigious circle of German lighthouse brands. From Abtei for natural medicine to Krumpholz for forged gardening, forestry and construction tools to Zwiesel for crystal glass, every company listed in the German Standards as a "Brand of the Century" is an exemplary leader in its product category.

Achieving the status of "Brand of the Century" is one thing. Maintaining it is quite another. Every three years, the actual brand performance of companies listed in the German Standards is put to the test to ensure that brand management remains constant and at an exemplary level.

The Krumpholz Werkzeuge company and brand have now passed this re-test, so to speak, and have been confirmed as a German "Brand of the Century" for a further three years.

"Brands of the Century' is an encyclopedia of great German brands. It presents the icons of the German economy," said laudator Dr. Florian Langenscheidt at the presentation of the certificate to the entrepreneurial couple Claus and Elke Krumpholz at the Hotel Adlon in Berlin on February 10. "The book shows who has set standards in their field," continued Dr. Langenscheidt. The publication "German Standards - Brands of the Century 2019" lists the

more than 200 most popular German brands and is published by Tempus Corporate, a wholly-owned subsidiary of the Hamburg-based ZEIT publishing house.







Award: From the best family

Krumpholz-Werkzeuge is the only company in the green sector to be included in the classic book "Aus bester Familie", which portrays 100 outstanding German family businesses.

Now in its eighth generation, the forge in Grafengehaig, founded in 1799, produces high-quality garden and forestry tools for the German and European market, among other things. "We are delighted to be included in the network of the best," says junior boss Claus Krumpholz. It brings together major global market leaders as well as smaller

medium-sized companies. Together, they reflect the powerful diversity of the German corporate landscape. The high-quality publication "Aus bester Familie" and the associated network are a project of the "Deutsche Standards" media brand, which the ZEIT publishing group has been publishing since the start of its SME initiative in 2018. In

www.krumpholz1799.de

addition to "Aus bester Familie", the "Brands of the Century" products, podcasts, videos and events. These are all reand the "Lexicon of German Family Businesses" are among served for outstanding German brands - with family busithe well-known projects of "Deutsche Standards". Krumnesses as the "heart of German entrepreneurship", acpholz has also been repeatedly included in the "Brands of cording to "Deutsche Standards". Professor Dr. Peter May, leading international expert in the field of family businessthe Century" group. es and co-editor of the publication "From the Best Fami-For over twenty years, "Deutsche Standards" has made it its ly", said at its launch in Berlin in December: "In turbulent mission to provide the premier league of German brands times, it is more important than ever to draw attention to with a permanent platform for valuable, shared visibility. the achievements of German family businesses. They stand for continuity, sustainability, economic success and social To this end, the top-class media brand offers companies responsibility - and are therefore stabilizers of a Europe

a modular system of diverse formats in the form of print characterized by peace, freedom and prosperity."



Manufacturer of the best garden tools

Great jubilation at the traditional Krumpholz company: company boss Claus Krumpholz was presented with the TASPO Award 2018 "Best Manufacturer" in the German garden center and nursery industry in Berlin.

The coveted TASPO Award is regarded as the "Oscar" and highest award of its kind in the gardening industry. Every year, this important industry prize is awarded in several categories by specialist publisher Haymarket Medien. The traditional forge Krumpholz has now won the coveted TASPO Award 2018 in the "Best Manufacturer" category - the first company in the tool industry ever to do so. "Amazing," said Claus and Elke Krumpholz as they were presented with the trophy in front of around 450 invited industry guests at a gala on Friday evening at the Grand Hyatt Hotel on Potsdamerplatz in Berlin. The jury gave two reasons for choosing Grafengehaiger as the winner: firstly, Krumpholz has been providing a high-quality counterpoint to cheap Asian imports in the green sector for years with the quality of its tools. This helps the specialist retail trade to set itself apart from lowcost suppliers and discounters with Krumpholz tools.

On the other hand, Krumpholz enriches the hobby of millions of German gardening enthusiasts: with more than 500 tool articles, the Krumpholz range is more versatile than that of almost any other German supplier. Whether classics such as the sow's tooth, dandelion pruner, side spade and the like, or practical new developments such as the garden disk and spork - Krumpholz stands for both classic and ultra-modern

garden tools. "Each one of them is actually truly unique," emphasizes Claus Krumpholz, "because we forge and shank them by hand." In the garden center industry, the following now applies with regard to the quality and perceived value of forged Krumpholz garden tools: "You don't buy them - you invest in them. Because they last a gardener's lifetime."



Two major brand awards

The German Brand Institute has now honored Krumpholz-Werkzeuge twice with the German Brand Award 2018.

During a ceremony at the German Historical Museum in Berlin, the Upper Franconian forge received this award in the "Gardening & Tools" category and also in the "Sustainable Brand of the Year" category.

The significance of the brand is unbroken, and with the increasing digitalization of retail, its importance is only increasing.

The "German Brand Monitor 2017/2018" shows that 73% of the brand experts surveyed expect strategic brand management to become even more important in the future.

For more than 90 percent of decision-makers in the market, brand and consistent brand management are considered to be essential factors for corporate success and the key to achieving important corporate goals.

The German Brand Award is the annual award for the most successful brand management in Germany. The award is initiated by Germany's design and brand author-

ity, the German Brand Institute Foundation, Frankfurt am Main, with its more than 300 member companies. One of the foundation's sponsors is the German Design Council of 1953, one of the world's leading competence centers for communication and knowledge transfer in the field of design.

Over 1,250 entries were submitted to this year's German Brand Award competition. 51 percent of these were in the "Industry Excellence in Branding" category, 49 percent in the "Excellence in Brand Strategy, Management and Creation" category.

In the categories "Industry Excellence in Branding" and "Excellence in Brand Strategy, Management and Creation", up to ten of the best brand strategies are recognized as "Winners".

Krumpholz Werkzeuge was the only company in the green sector to position itself in the German Brand Award 2018 - and in two important categories at that.

Confirmed as a major German brand

The Upper Franconian family business Krumpholz Werkzeuge was not only honored with the "German Brand Award" - but also confirmed in the list of "Great German Brands".

The German Brand Award was initiated by the German De-
sign Council, which was founded in 1953 by the German
Bundestag and sponsored by the Federation of German
Industries.examines the actual prize-worthiness of a candidate in the
course of the recognition process.The test criteria include, among other things, the brand's

Industries.The test criteria include, among other things, the brand's
distinctiveness, its differentiation from the competition, itsOwner Claus Krumpholz is delighted with the outstanding
German Brand Award and sees this as confirmation of his
strict brand management over many years: "For us, this is
proof that clear brand competence offers added value and
is worth more in the garden center sector.The test criteria include, among other things, the brand's
distinctiveness, its differentiation from the competition, its
originality and design quality, but also the longevity of the
brand products, their relevance to the target group and
the economic success of the company. "We were able to
convince and score points in all test categories," says Claus
Krumpholz, who has been pursuing a clear differentiation
strategy against low-cost suppliers for years.

Lowest price strategies and Asian import mania are neither sustainable nor forward-looking strategies for the true specialist trade. Cheap mania means cheapest quality - but that's not the way to treat your customers as a responsible specialist retailer."

In order for a brand to receive a "German Brand Award", it has to overcome several hurdles. First of all, it cannot apply on its own initiative, but must be nominated by the German Brand Institute, its brand scouts or by expert committees. A high-caliber jury from industry and science then

www.krumpholz1799.de





Sponsoring: Jacob Schramm

Krumpholz-Werkzeuge continues to support Jacob Schramm as a helmet sponsor on his way to the top of German skiing.

We are proud to announce that we are continuing to support Jacob Schramm as a helmet sponsor in German skiing. This up-and-coming young talent is no stranger to us.

Jacob Schramm comes from our own community of Grafengehaig. We still remember him making his first attempts on skis just a few meters away from our smithy. The connection between Jacob and our community is something very special for us. It fills us with joy to see how his talent and passion for skiing has developed. The combination of quality in craftsmanship and quality in top-class sport, both originating from the picturesque Franconian Forest, is something special for us. It fills us with pride to be able to accompany someone from our own community on his path in skiing. Jacob Schrammtake a look behind the scenes of his training and compe-
tition. Through these channels, we will continue to report
regularly on his successes and developments, as we are
proud to be part of his athletic journey.

We invite you to follow Jacob on his social media chan-
nels, Facebook and Instagram, to stay up to date andJacob, we wish you all the best for the upcoming season!May it be filled with success, passion an luck!

XRUMPHO Werkzeugfabrikation seit 1799

IGARASHI

MOTOREN GMBH

Sponsoring: Bamberg Baskets

Krumpholz-Werkzeuge recently announced a partnership with the Bamberg Baskets, a leading team in the German Basketball Bundesliga.

ARASH

TOREN GMBH

The connection between Krumpholz-Werkzeuge and the Bamberg team is more than just a sponsorship agreement.

It combines the heritage of precision and quality of blacksmithing with the dedication, power and dynamism of basketball. The blacksmith, which has been producing high-quality tools for 225 years, brings a deep commitment to craftsmanship to this partnership. Its tools, forged by hand and cherished by generations, embody precision, durability and quality - values that are also crucial in top-level sports such as basketball.

The decision to support the Bamberg Baskets reflects

the forge's commitment to excellence. The similarities between precision in craftsmanship and precision on the basketball court are unmistakable. Both require technique, perseverance and a quest for perfection.

Through this sponsorship, Schmiede will not only become a partner of the team, but also a part of Bamberg's basketball culture. The blacksmith will present its products at the games and communicate the value of tradition and craftsmanship to a wide audience.

craftsmanship to a wide audience.This collaboration symbolizes the union of two worlds
- that of craftsmanship and that of sport - and will un-
doubtedly bring joy to both basketball fans and support-
ers of the blacksmith.



the Franconian Forest. This partnership shows how the tradition and values of a region can be combined with modern sport.

The blacksmith from the Franconian Forest is looking forward to accompanying the Bamberg team on their journey and reflecting their values of quality, precision and dedication on the pitch.

Freedom cannot perish as long as blacksmiths hammer iron.

Ernst Moritz Arndt

In our forge, crafted work gives rise to tools that aren't merely bought; they're acquired. Invested in. Because they accompany the seasonal life of gardens for decades, passed down to the next generation of gardeners.



Find out more about our history: www.krumpholz1799.de/225-jahre



toos en ng

- ► Gardening
- Outdoor
- Planting tr
- Cultivator
- Weeding Japanese
- Hand fork
- Organic to
- Planting k
- Planting to
- Two-hand Ladies' sp
- Spades, st
- Spades
- Stahlrohrs
- Shrub divi
- Edging kn Weeder
- SPORK
- Rose fork
- Hand spar
- Forks Hand hoe
- Hand hoe
- Hoes with
- ▶ Gardening
- Hoes
- Grub hoes
- Picks
- Weeders
- Crack wee
- ► Gardening
- Sickles an
- Cape-Cod
- Dandelior
- Garden sie
- Bonsai too
- Junior too Shovels
- Aluminiun
- Shovel, Ar
- Push Hoe
- Rakes



Hand-forged quality tools that have been specially designed for the quality-conscious hobby gardener and professional gardeners and are manufactured with the utmost care.

ng hatchtes & axes	41
	43
trowels	45
r	50
Finger	50
e sickle hoe	53
ks	55
tools	56
knives	56
tools	57
d tool	57
pades	60
steel, in one piece	64
	67
rspaten	69
vider	70
nife	70
	70
	73
k	74
ades, forged	74
	77
es, steel, in one piece	81
es with round eye	82
h round eye	86
ng hoes	88
	90
es, steel, in one piece	90
	91
5	94
eeders	96
ng disks	98
nd scythes	98
d-Weeder	101
on screw	101
sickle	101
pols	103
ols	104
	106
m shovels	107
merican style	107
e	108
	109

Light, sharp & handy

A tradition of quality since 1799.

Gardening hatchets & axes



Gardening hatchet

ltem no.	Head wt.	Length*	Handle	Total wt.
0331	330 g	36 cm	Cow foot (Ash)	470 g
0332	330 g	36 cm	Cow foot (Hickory)	520 g











Leisure axe

Length*	Head wt.	Length*	Handle	Total wt.
0571	700 g	40 cm	Cow foot (Ash)	1.000 g
0051	700 g	40 cm	Cow foot (Hickory)	1.100 g

Leisure axe with leather cutting edge protection

ltem no.	Hea
0359	700
0360	700

The classic gardening axe is ideal for pruning and making kindling. The handforged hatchet edge made of high-quality steel, paired with a premium ash or hickory handle, ensures stability and a long lifespan. The garden hatchet can be delivered with a leather blade guard and a matching belt buckle. Illustration: item no.: 0332



*Length of the handle

Gardening hatchet with leather cutting edge protection

d wt.	Length*	Handle	Total wt.
g	36 cm	Cow foot (Ash)	530 g
g	36 cm	Cow foot (Hickory)	570 g

Camping hatchet

d wt.	Length*	Handle	Total wt.
g	36 cm	Cow foot (Ash)	700 g
g	36 cm	Cow foot (Hickory)	750 g

Camping hatchet with leather cutting edge protection

				_
d wt.	Length*	Handle	Total wt.	
g	36 cm	Cow foot (Ash)	730 g	_
g	36 cm	Cow foot (Hickory)	870 g	

d wt.	Length*	Handle	Total wt.
g	40 cm	Cow foot (Ash)	1.000 g
g	40 cm	Cow foot (Hickory)	1.000 g

Gardening tools

A tradition of quality since 1799.

Outdoor

Perfect for any adventure


Forrest axe ltem no. He 0130 30 50 0131 80 0132





Rangers' axe





ltem no. Head 0105 330



Item no. Head 0108 600 g

Poachers' axe

Camping spade

ltem no.	Weight	Length*	Handle	
1751	800 g	45 cm	T-Shaft (Ash)	
1752	750 g	45 cm	Button-Shaft (Ash)	
1753	850 g	80 cm	T-Shaft (Ash)	

Scouts' spade

ltem no.	Weight	Length*	Handle	
1754	800 g	45 cm	T-Shaft (Ash)	
1755	750 g	45 cm	Button-Shaft (Ash)	
1756	850 g	80 cm	T-Shaft (Ash)	

The new outdoor collection is specifically designed for adventures in the open. The axes and spades are perfect for chopping firewood and digging holes.



*Length of the handle

ead wt.	Length*	Handle
00 g	36 cm	Cow foot (Hickory)
00 g	38 cm	Cow foot (Hickory)
00 g	40 cm	Cow foot (Hickory)

d wt.	Length*	Handle	Total wt.
g	36 cm	Cow foot (Hickory)	700 g

d wt.	Length*	Handle	Total wt.
g	36 cm	Cow foot (Hickory)	600 g

wt.	Length*	Handle	Total wt.
5	36 cm	Cow foot (Hickory)	900 g

Forestry tools

Gardening tools

The best for every bed

A tradition of quality since 1799.

Planting trowels



ltem no. W 1480 24 42 1488 1440 34

Classic trowel



ltem no.	Weight	Length*	Handle
1411	240 g	14 cm	Handle (Ash)
1412	420 g	48 cm	Button-Shaft (Ash)

Trowel, slim

ltem no.	Weight	Length*	Handle	
1482	210 g	14 cm	Handle (Ash)	
1764	390 g	48 cm	Button-Shaft (Ash)	
1447	320 g	28 cm	P-Shaft (Ash)	





Weeding trowel

ltem no.	Weight	Length*	Handle	
1487	200 g	14 cm	Handle (Ash)	
1489	400 g	48 cm	Button-Shaft (Ash)	

Compost shovel

ltem no.	Weight	Length*	Handle
9801	460 g	14 cm	Handle (Ash)







Planting, loosening, weeding - gardening made easy. Beautiful flower beds are not magic. With the right tools, gardening becomes child's play.





*Length of the handle

/eight	Length*	Handle
40 g	14 cm	Handle (Ash)
20 g	48 cm	Button-Shaft (Ash)
40 g	28 cm	P-Shaft (Ash)

Trowel with root saw

eight	Length*	Handle
)0 g	14 cm	Handle (Ash)



Planting trowels		*Length of the handle Planting trowels	S	*Length of the handl
The w	Compost trowelItem no.WeightLength*Handle1497240 g14 cmHandle (As	sh)	Mini trowel Item no. Weight Length* Hand 1321 180 g 14 cm Hand	le le (Ash)
Rev	Trowel, handmade, in one piece Item no. Weight Length* Handle 1493 400 g 14 cm Handle (As	sh)	Item no. Weight Length* Hand 1331 240 g 14 cm Hand	le le (Ash)
Rew	Hand-SPORK-TrowelItem no.WeightLength*Handle1388300 g14 cmHandle (As	sh)	Trowel, slim Item no. Weight Length* Hand 1336 210 g 14 cm Hand	le (Ash)
	Trowel with bottle openerItem no.WeightLength*Handle1481240 g14 cmHandle (As1496420 g48 cmButton-Sha		1461 380 g 48 cm Butto	le le (Ash) n-Shaft (Ash) ft (Ash)

Landscaping tools

Gardening tools



Trowel, rounded

ltem no.	Weight	Length*	Handle	
1484	210 g	14 cm	Handle (Ash)	



Trowel for stony ground

ltem no.	Weight	Length*	Handle	
1310	230 g	14 cm	Handle (Ash)	



You should cultivate your garden.

Voltaire

Beautiful plants in your own garden and growth in the beds - horticultural success in the countryside has one common denominator: the soil. Discover our cultivation tools on the following pages.

You can find tips for a better floor on our website at: www.krumpholz1799.de/gartentipps





*Length of the handle

Cultivators





Goutweed weeder

Sowtooth

ltem no.	Weight	Length*	Handle	
1426	180 g	14 cm	Handle (Ash)	
1427	200 g	48 cm	Button-Shaft (Ash)	
1430	500 g	140 cm	Button-Shaft (Ash)	
1459	300 g	28 cm	P-Shaft (Ash)	

Finger weeder

ltem no.	Weight	Length*	Handle
1431	180 g	14 cm	Handle (Ash)
1435	300 g	140 cm	Shaft (Ash)
1492	200 g	48 cm	Button-Shaft (Ash)

Hand weeder

ltem no.	Weight	Length*	Handle	
1422	180 g	14 cm	Handle (Ash)	
1423	200 g	48 cm	Button-Shaft (Ash)	



Organic sowtooth

ltem no.	Weight	Length*	Handle	
1424	180 g	14 cm	Handle (Ash)	
1425	200 g	48 cm	Button-Shaft (Ash)	

Sowtooth, forged

ltem no.	Weight	Length*	Handle	
1061	1.200 g	150 cm	Handle (Ash)	



The sowtooth is an important garden tool for tilling the soil. It consists of a sickle-shaped tine, the tip of which is forged into a lance. As it is only used to loosen the uppermost part of the soil (approx. 10 cm), it does not disturb the natural layers, which is why it is often used for organic gardening. Fig. Art.-Nr.: 1307

Valuable for the floor



*Length of the handle

Cultivators

Cultivators







	new	Three-pro
1		ltem no.
	2.	1717
the second se		

Five-pronged	grubher
rive-proligeu	grubber

ltem no.	Weight	Length*	Handle	
1335	300 g	14 cm	Handle (Ash)	
1357	500 g	75 cm	Shaft (Ash)	
1358	600 g	140 cm	Shaft (Ash)	

Three-pronged grubber

ltem no.	Weight	Length*	Handle	
1334	180 g	14 cm	Handle (Ash)	
1322	560 g	140 cm	Shaft (Ash)	
1362	360 g	48 cm	Button-Shaft (Ash)	
1394	300 g	28 cm	P-Shaft (Ash)	
1339	330 g	80 cm	Shaft (Ash)	

Garden claw

ltem no.	Weight	Length*	Handle	
1393	230 g	80 cm	T-Shaft (Ash)	



Japanese sickle hoe (right-handed)

	ltem no.	Weight	Length*	Handle	
-	1730	300 g	14 cm	Handle (Ash)	
	1734	400 g	48 cm	Button-Shaft (Ash)	
	1732	500 g	140 cm	Shaft (Ash)	



A a contract	ALC: N
_	-

no.	Weight	Length*	Handle	
)	300 g	14 cm	Handle (Ash)	
	400 g	75 cm	Shaft (Ash)	
	500 g	140 cm	Shaft (Ash)	
	400 g	48 cm	Button-Shaft (Ash)	

onged hand harrow

Three-pronged grubber, forged

ltem no.	Weight	Length*	Handle	
1717	600 g	14 cm	Handle (Ash)	
1718	600 g	130 cm	Shaft (Ash)	

Weeding Finger









*Length of the handle

Three-pronged cultivator, forged

ltem no.	Weight	Length*	Handle	
1715	600 g	140 cm	Shaft (Ash)	
1716	600 g	140 cm	Shaft (Ash)	

Three-pronged cultivator, forged

ltem no.	Weight	Length*	Handle	
1719	1.200 g	140 cm	Shaft (Ash)	

/eight	Length*	Handle
00 g	14 cm	Handle (Ash)

Japanese sickle hoe (left-handed)

/eight	Length*	Handle
00 g	14 cm	Handle (Ash)
00 g	48 cm	Button-Shaft (Ash)
00 g	140 cm	Shaft (Ash)



*Length of the handle

Cultivators











Organic cultivator

ltem no.	Weight	Length*	Handle	
1363	140 g	14 cm	Handle (Ash)	

Organic crack weeder

ltem no.	Weight	Length*	Handle
1398	140 g	14 cm	Handle (Ash)

Three-pronged hand rake

ltem no.	Weight	Length*	Handle	
1448	200 g	14 cm	Handle (Ash)	
1490	320 g	48 cm	Button-Shaft (Ash)	

Five-pronged hand rake

ltem no.	Weight	Length*	Handle	
1449	220 g	14 cm	Handle (Ash)	
1491	340 g	48 cm	Button-Shaft (Ash)	

Hand leaf rake

ltem no.	Weight	Length*	Handle	
1454	90 g	14 cm	Handle (Ash)	

Cordate mini hand hoe

ltem no.	Weight	Length*	Handle	
1450	180 g	14 cm	Handle (Ash)	
1451	200 g	14 cm	Handle (Ash)	

Mini hand hoe

ltem no.	Weight	Length*	Handle	
1452	190 g	14 cm	Handle (Ash)	
1453	210 g	14 cm	Handle (Ash)	

Hand forks



Flower fork, forged

ltem no.	Weight	Length*	Handle	
1713	300 g	14 cm	Handle (Ash)	
1714	400 g	48 cm	Button-Shaft (Ash)	





ltem no. W 1333 17

Hand fork

Rose hand fork

ltem no.	Weight	Length*	Handle	
1341	300 g	14 cm	Handle (Ash)	
1469	500 g	48 cm	Button-Shaft (Ash)	
1444	400 g	28 cm	P-Shaft (Ash)	

Hand fork

ltem no.	Weight	Length*	Handle
1329	460 g	45 cm	T-Shaft (Ash)
1380	720 g	80 cm	T-Shaft (Ash)



Landscaping tools



*Length of the handle

Hand fork, forged

Length*	Handle	
14 cm	Handle (Ash)	
48 cm	Button-Shaft (Ash)	
	14 cm	14 cm Handle (Ash)

eight	Length*	Handle
70 g	14 cm	Handle (Ash)



Organic tools







Organic cultivator

Weight

140 g

300 g

Length*

14 cm

48 cm

ltem no.

1364


1420

ltem no.	Weight	Length*	Handle	
1433	180 g	14 cm	Handle (Ash)	
1436	300 g	48 cm	Button-Shaft (Ash)	

Handle

Handle (Ash)

Button-Shaft (Ash)



ltem no.	Weight	Length*	Handle	
1434	150 g	14 cm	Handle (Ash)	
1438	300 g	48 cm	Button-Shaft (Ash)	
1462	290 g	28 cm	P-Shaft (Ash)	





Bulb planter

ltem no.	Weight	Length*	Handle
1349	1.300 g	80 cm	T-Shaft (Ash)

Dibber





Planting knives



Planting knife

ltem no.	Weight	Length*	Handle	
1486	180 g	14 cm	Handle (Ash)	

Garden knife

ltem no.	Weight	Length*	Handle	
1314	80 g	10 cm	Handle (Ash)	



Two-hand tool

Two-hand cultivator



www.krumpholz1799.de



*Length of the handle

Bulb planter Ø 48 mm

Weight	Length*	Handle
190 g	14 cm	Handle (Ash)
300 g	48 cm	Button-Shaft (Ash)
250 g	28 cm	P-Shaft (Ash)

eight	Length*	Handle
40 g	25 cm	Handle (Ash)

Weight	Length*	Handle
140 g	14 cm	Handle (Ash)

eight	Length*	Handle
90 g	14 cm	-

Spades & forks from master craftsmen

Exclusive spades - robust and elegant at the same time. Quality-conscious hobby gardeners need particularly powerful and durable gardening tools.

Our spades are manufactured in the best forging quality for professional use. You can see that at first glance. You can feel it with the first touch. Discover our large selection of forged spades.





Ladies' spades, steel, forged in one piece



	Ladies' spade "Elke with step		
U.	ltem no.	Weigh	
-	1589	1.500	

1599 1789

with step Item no.

1584

1596

1784

Ρ				
10.	Weight	Length*	Handle	
	1.500 g	85 cm	T-Shaft (Ash)	
	1.550 g	85 cm	D-Shaft (Ash)	
	1.500 g	95 cm	Button-Shaft (Ash)	

Handle T-Shaft (Ash)

D-Shaft (Ash)

Button-Shaft (Ash)







Ladies' planting spade

Ladies' planting spade, broad blade

Length*

85 cm

85 cm

95 cm

Weight

1.200 g

1.250 g

1.200 g

with step				
ltem no.	Weight	Length*	Handle	
1577	1.250 g	85 cm	T-Shaft (Ash)	
1595	1.300 g	85 cm	D-Shaft (Ash)	
1777	1.250 g	95 cm	Button-Shaft (Ash)	

Ladies' pointed spade

with step				
ltem no.	Weight	Length*	Handle	
1576	1.250 g	85 cm	T-Shaft (Ash)	
1598	1.300 g	85 cm	D-Shaft (Ash)	
1776	1.250 g	95 cm	Button-Shaft (Ash)	



Ladies' cordate spade

with step				
ltem no.	Weight	Length*	Handle	
1587	1.250 g	85 cm	T-Shaft (Ash)	
1594	1.300 g	85 cm	D-Shaft (Ash)	

*Length of the handle



"The spade goes into the ground like butter and stands there like a charm. It has the sharpest edge of all and stays sharp thanks to its special grind. I wouldn't use it to dig up a large bed because of the small blade size. But it's unbeatable for working between perennials and for digging precise planting pits. Here you can see real workmanship: the blade is forged by hand from a single piece, including the treading edge; the handle and grip are carved from a single piece and untreated. The women's spade is perfect for me, men would need a larger model. "Elke" is my absolute favorite in the test. It's expensive, but it's worth it." **Fig. item no.: 1589**

Gardening tools

The test winner among the spades





Ladies' spades, steel, forged in one piece











Ladies' planting spade with step

ltem no.	Weight	Length*	Handle	
1572	1.200 g	85 cm	T-Shaft (Ash)	
1567	1.250 g	85 cm	D-Shaft (Ash)	



Ladies' planting spade, slim blade

with step				
ltem no.	Weight	Length*	Handle	
1583	1.200 g	85 cm	T-Shaft (Ash)	
1568	1.250 g	85 cm	D-Shaft (Ash)	
1783	1.200 g	95 cm	Button-Shaft (Ash)	
	0			

*Length of the handle

Hollow and planting spade

with step				
ltem no.	Weight	Length*	Handle	
1579	1.450 g	85 cm	T-Shaft (Ash)	
1597	1.500 g	85 cm	D-Shaft (Ash)	
1779	1.450 g	95 cm	Button-Shaft (Ash)	

Ladies' SHARK

with step			
ltem no.	Weight	Length*	Handle
1586	1.450 g	85 cm	T-Shaft (Ash)
1564	1.500 g	85 cm	D-Shaft (Ash)

Root spade

with step				
ltem no.	Weight	Length*	Handle	
1588	1.250 g	85 cm	T-Shaft (Ash)	
1565	1.300 g	85 cm	D-Shaft (Ash)	

Strawberry spade

with step	-			
ltem no.	Weight	Length*	Handle	
1585	1.000 g	85 cm	T-Shaft (Ash)	
1566	1.050 g	85 cm	D-Shaft (Ash)	



Simple digging of planting holes

The hollow and planting spade is a lightweight, very sturdy spade for working in dense beds and dense beds and for digging planting holes, even in hard soil. Fig. item no.: 1579



Handle

Handle

Handle

Handle

Handle T-Shaft (Ash)

T-Shaft (Ash)

T-Shaft (Ash)

T-Shaft (Ash)

Button-Shaft (Ash)

T-Shaft (Ash)

D-Shaft (Ash)

Button-Shaft (Ash)

Spades, steel, forged in one piece

*Length of the handle

Forestry tools





Pointed sp with step	ade		WORLD GARDEN AWARDS WINNER WORESSCHUL 2023	1,1
ltem no.	Weight	Length*	Handle	
1770	2.200 g	75 cm	T-Shaft (Ash)	
1769	2.250 g	85 cm	Button-Shaft (Ash)	
1768	2.300 g	75 cm	D-Shaft (Ash)	



Gardener's spade

Weight

2.300 g

2.440 g

2.300 g

Weight

2.440 g

2.300 g

Weight

1.740 g

Weight

2.420 g

Length*

75 cm

85 cm

75 cm

Length*

75 cm

85 cm

Length*

75 cm

Length*

75 cm

with step

1771

1772

1773

Planting spade with step

ltem no.

1774

1775

Ladies' spade

with step ltem no.

1346

SHARK

ltem no.

1409

ltem no.

-	ltem no.	Weight	Length*
	1778	2.000 g	75 cm

WO GAR AW/
WIN
PROFE
20



Quality + function

The pointed spade with step, item no. 1770 from The WORLD GARDEN AWARDS are presented Krumpholz, wins the WORLD GARDEN AWARD in the hand tools category of the "Professional" class.

spade with step, item no. 1770, because it particu- and utility value. larly impressed the jury in terms of quality and function.

www.krumpholz1799.de



/ards.com

orldgardenav



Krumpholz Pointed spade, Artikel Nr. 1770

annually. With the awards, the expert jury honors products that stand out from the competition with new ideas or technologies, precise and durable workmanship and the use of high-quality materials The WORLD GARDEN AWARD is given to the or an excellent relation between acquisition costs



A tradition of quality since 1799.

Spades



Item no. We 1377 2.1 1407 2.0 1593 2.2

Ladies' spade



ltem no.	Weight	Length*	Handle	
1376	1.600 g	85 cm	T-Shaft (Ash)	
1406	1.500 g	95 cm	Button-Shaft (Ash)	
1591	1.700 g	85 cm	D-Shaft (Ash)	

Clearing spade

	ltem no.	Wei
	1378	2.80
and the second diversion of th	1408	2.70
	1592	3.00

Drain spade

ltem no.	Weight	Length*	Handle	
6701	2.200 g	90 cm	T-Shaft (Ash)	
6702	2.000 g	100 cm	Button-Shaft (Ash)	





*Length of the handle

Gardener's spade

/eight	Length*	Handle	
.100 g	90 cm	T-Shaft (Ash)	
.000 g	100 cm	Button-Shaft (Ash)	
.200 g	90 cm	D-Shaft (Ash)	

/eight	Length*	Handle
.800 g	90 cm	T-Shaft (Ash)
.700 g	100 cm	Button-Shaft (Ash)
.000 g	90 cm	D-Shaft (Ash)



A tradition of quality since 1799.

Steel pipe spade





ltem no. We 1792 2.8



ltem no.	Weight	Length*	Handle
1794	2.850 g	90 cm	Steel tube T-Shaft & wooden handle
1795	2.850 g	90 cm	Steel tube D-Handle Shaft
1798	2.850 g	90 cm	Steel tube-Button-Shaft & wood knob



SHARK Hollow and planting spade (wide T-crutch)

ltem no. W 5895 2.4

Hollow and planting spade (wide T-crutch)

ltem no.	Weight	Length*	Handle
5891	1.450 g	80 cm	Steel tube T-Shaft
5892	1.450 g	80 cm	Steel tube T-Shaft
5893	1.450 g	80 cm	Steel tube T-Shaft

SPORK Hollow and planting spade (wide T-crutch)

ltom no	Woight	l ongth‡	Landla
item no.	weight	Length*	папиle
5894	2.100 g	80 cm	Steel tube T-Shaft

www.krumpholz1799.de



*Length of the handle

Pointed spade (from one piece of steel) "English form" with step

/eight	Length*	Handle
.850 g	90 cm	Steel tube T-Shaft & wooden handle
.850 g	90 cm	Steel tube D-Handle Shaft
.850 g	90 cm	Steel tube-Button-Shaft & wood knob

Gardener's spade (from one piece of steel) "English form" with step

/eight	Length*	Handle
.850 g	90 cm	Steel tube T-Shaft & wooden handle
.850 g	90 cm	Steel tube D-Handle Shaft
.850 g	90 cm	Steel tube-Button-Shaft & wood knob

SHARK-spade (from one piece of steel) "English form" with step

/eight	Length*	Handle
.400 g	80 cm	Steel tube T-Shaft

Gardening tools



Shrub divider, forged in one piece

*Length of the handle



	Shrub divid	ler			
	ltem no.	Weight	Length*	Handle	
1	1545	1.200 g	85 cm	T-Shaft (Ash)	

Edging knife, forged in one piece



Edging knif with step	e			
ltem no.	Weight	Length*	Handle	
1546	1.400 g	85 cm	T-Shaft (Ash)	

Weeders



Weed cutter with step	r			
ltem no.	Weight	Length*	Handle	
1541	1.200 g	85 cm	T-Shaft (Ash)	

Dock cutter

ltem no.	Weight	Length*	Handle	
1083	1.000 g	90 cm	T-Shaft (Ash)	

The edging knife is from a lawn. The speci

Simple & clean edges

The edging knife is ideal for clearly separating beds or paths from a lawn area. from a lawn. The special shape of the blade allows the blade to be moved further, without losing the connection. Fig. item no.: 1546

The SPORK our all-rounder

A tradition of quality since 1799.

SPORK




ltem no.

1381



ltem no. 1382

Ladies' SPORK





ltem no. 1387

Hand SPORK

ltem no.	Weight	Length*	Handle	
1385	220 g	14 cm	Handle (Ash)	
1386	450 g	48 cm	Button-Shaft (Ash)	



ltem no.	Weight	Length*	Handle	
1388	300 g	14 cm	Handle (Ash)	
1383	1.250 g	140 cm	Shaft (Ash)	

SPORK path weeder

ltem no.	Weight	Length*	Handle	
1384	1.220 g	140 cm	Shaft (Ash)	

The unique principle of the SPORK combines a variety of gardening tools in one. The SPORK can be used to dig and loosen hard, heavy soil. In addition to digging its advantages also include cutting through roots, removing weeds, loosening soil, planting work, aerating lawns and even cutting off lawn edges. Fig. item no.: 1381

www.krumpholz1799.de



*Length of the handle

Gardener's SPORK

/eight	Length*	Handle
.500 g	90 cm	T-Shaft (Ash)

/eight	Length*	Handle
100 g	80 cm	T-Shaft (Ash)

/eight	Length*	Handle	
.000 g	45 cm	T-Shaft (Ash)	



A tradition of quality since 1799.

*Length of the handle

Rose forks and weeding forks



	ltem no.	Weight	Length*	Handle
-	1081	1.250 g	90 cm	T-Shaft (Ash)

Hand spades, forged



Shrub spade

ltem no.	Weight	Length*	Handle
1328	420 g	45 cm	T-Shaft (Ash)

Hand spade

ltem no.	Weight	Length*	Handle	
1370	460 g	45 cm	T-Shaft (Ash)	
1337	720 g	80 cm	T-Shaft (Ash)	

Camping spade

ltem no.	Weight	Length*	Handle	
1751	800 g	45 cm	T-Shaft (Ash)	
1752	750 g	45 cm	Button-Shaft (Ash)	
1753	850 g	80 cm	T-Shaft (Ash)	

Scouts' spade

ltem no.	Weight	Length*	Handle	
1754	800 g	45 cm	T-Shaft (Ash)	
1755	750 g	45 cm	Button-Shaft (Ash)	
1756	850 g	80 cm	T-Shaft (Ash)	

Rose fork

ltem no.	Weight	Length*	Handle
1081	1.250 g	90 cm	T-Shaft (A





Perfect for the most beautiful roses



The special shape of the tines pushes the rose roots aside and makes it easy to reach the roots without damaging them. These properties allow you to work more precisely with a rose fork and you really only loosen the soil without damaging the roots. Fig. item no.: 1081

A tradition of quality since 1799.

Power-saving and efficient

Forks











ltem no.

w

1





ltem no.	Weight	Length*	Handle	
1021	1.550 g	95 cm	T-Shaft (Ash)	
1022	1.400 g	135 cm	Shaft (Ash)	

Garten keel with 4 prongs

ltem no.	Weight	Length*	Handle	
1011	400 g	80 cm	Shaft (Ash)	
1012	450 g	130 cm	Shaft (Ash)	

Broad fork with step

ltem no.	Weight	Length*	Handle
1397	3.500 g	80 cm	Shaft (Ash)

The spading fork enables effortless loosening and aeration of rooted soil as well as rapid excavation and digging of very moist, heavy soil. The screws in the sturdy spring socket of the spading fork can be easily retightened if necessary. Fig. item no.: 0411

www.krumpholz1799.de











*Length of the handle

Spading fork with bayonet prongs

/eight	Length*	Handle
.600 g	80 cm	T-Shaft (Ash)
.800 g	75 cm	D-Shaft (Ash)

Spading fork with lancet prongs

eight	Length*	Handle
600 g	80 cm	T-Shaft (Ash)
800 g	75 cm	D-Shaft (Ash)

/eight	Length*	Handle
.220 g	80 cm	T-Shaft (Ash)
.320 g	90 cm	Button-Shaft (Ash)
.200 g	80 cm	T-Shaft (Ash)

with 3 prongs intem no. 9984, with 4 prongs intem no. 9985

'eight	Length*	Handle
550 g	130 cm	Shaft (Ash)
550 g	130 cm	Shaft (Ash)

The particular is eternally subject to the general, the general must eternally to the particular.

J. W. von Goethe

For ideal growth, the soil must not be coarse, firm or crusty. You should therefore loosen your soil regularly. Because the loosened layers of soil can absorb heat, air, water and nutrients nutrients more easily.

You can find tips for a better floor on our website at: www.krumpholz1799.de/gartentipps





Hand hoes, steel, in one piece





ltem no.	Weight	Length*	Handle
1521	1.350 g	48 cm	Cow foot (Ash)
1532	1.350 g	35 cm	Hickory-Kuhfußstiel

Hand hoe "Harz" style



Planting hand hoe

ltem no.	Weight	Length*	Handle	
1523	1.050 g	48 cm	Cow foot (Ash)	
1533	1.350 g	35 cm	Hickory-Kuhfußstiel	

Hand hoe "Regensburg" style

ltem no.	Weight	Length*	Handle	
1524	1.200 g	48 cm	Cow foot (Ash)	
1534	1.350 g	35 cm	Hickory-Kuhfußstiel	

Hand hoe, oval form

ltem no.	Weight	Length*	Handle	
1525	1.350 g	48 cm	Cow foot (Ash)	
1535	1.350 g	35 cm	Hickory-Kuhfußstiel	

Hand hoe, pointed oval form

ltem no.	Weight	Length*	Handle	
1526	1.200 g	48 cm	Cow foot (Ash)	
1536	1.350 g	35 cm	Hickory-Kuhfußstiel	

Hand hoe, bed form

ltem no.	Weight	Length*	Handle	
1527	1.350 g	48 cm	Cow foot (Ash)	
1537	1.350 g	35 cm	Hickory-Kuhfußstiel	













*Length of the handle

/eight	Length*	Handle
.100 g	48 cm	Cow foot (Ash)



*Length of the handle

Hand hoes with round eye





Forestry tools









Universal hoe (forged) with round eye

ltem no.	Weight	Length*	Handle
1131	400 g	40 cm	Shaft (Ash)
1132	700 g	80 cm	Shaft (Ash)
1133	900 g	130 cm	Shaft (Ash)

Small hand hoe

ltem no.	Weight	Length*	Handle	
1121	540 g	40 cm	Shaft (Ash)	
1122	640 g	80 cm	Shaft (Ash)	
1123	900 g	130 cm	Shaft (Ash)	

Small gardening hoe

ltem no.	Weight	Length*	Handle	
1203	580 g	40 cm	Shaft (Ash)	
1204	750 g	80 cm	Shaft (Ash)	
1205	990 g	130 cm	Shaft (Ash)	

Small gardening hoe

ltem no.	Weight	Length*	Handle
1103	700 g	40 cm	Shaft (Ash)
1104	670 g	80 cm	Shaft (Ash)
1105	860 g	130 cm	Shaft (Ash)

Weeding hoe

ltem no.	Weight	Length*	Handle	
1171	750 g	40 cm	Shaft (Ash)	
1172	890 g	80 cm	Shaft (Ash)	
1173	1.100 g	130 cm	Shaft (Ash)	

Gardening hoe, heavy

ltem no.	Weight	Length*	Handle
1111	650 g	40 cm	Shaft (Ash)
1112	850 g	80 cm	Shaft (Ash)
1113	1.050 g	130 cm	Shaft (Ash)





inishing work in the bed

The hand hoe is ideal for loosening the soil and hoeing away weeds. Due to its size, it can be used to carry out precise precision work even in the tightest of spaces. Fig. item no.: 1121

Versatile helper

A tradition of quality since 1799.

Hand hoes with round eye





Small hoe, 5 prongs



ltem no. W 1154 35 52 1155 1156 780

Small gardening hoe





Small gardening hoe ltem no. W

1201 99

Chelsea hoe

ltem no.	Weight	Length*	Handle	
1302	570 g	40 cm	Shaft (Ash)	
1303	760 g	80 cm	Shaft (Ash)	
1304	980 g	130 cm	Shaft (Ash)	

Small hoe (forged), 2 prongs, with round eye

ltem no.	Weight	Length*	Handle	
1127	250 g	40 cm	Shaft (Ash)	
1128	600 g	80 cm	Shaft (Ash)	
1129	700 g	130 cm	Shaft (Ash)	

The garden hoe is a versatile helper for gardening. Its two working sides and two tines can be used to loosen and aerate the soil or weed. The low weight makes it easy to handle. Fig. item no.: 1101





*Length of the handle

Small hoe, 3 prongs

/eight	Length*	Handle	
40 g	40 cm	Shaft (Ash)	
70 g	80 cm	Shaft (Ash)	
40 g	130 cm	Shaft (Ash)	

/eight	Length*	Handle
50 g	40 cm	Shaft (Ash)
20 g	80 cm	Shaft (Ash)
80 g	130 cm	Shaft (Ash)

/eight	Length*	Handle
90 g	130 cm	Shaft (Ash)

/eight	Length*	Handle
90 g	130 cm	Shaft (Ash)



*Length of the handle

Hoes with round eye



Piranha hoe

ltem no.	Head wt.	Length*	Handle	Total wt.
1681	1.100 g	130 cm	Shaft (Ash)	2.100 g

Piranha hoe, slim

ltem no.	Head wt.	Length*	Handle	Total wt.
1683	1.050 g	130 cm	Shaft (Ash)	2.000 g





Cordate hoe

ltem no.	Head wt.	Length*	Handle	Total wt.
1629	900 g	130 cm	Shaft (Ash)	1.900 g

Field hoe


ltem no.	Head wt.	Length*	Handle	Total wt.
1625	900 g	130 cm	Shaft (Ash)	1.900 g

Universal hoe

ltem no.	Head wt.	Length*	Handle	Total wt.
1134	900 g	130 cm	Shaft (Ash)	1.900 g







Item no. Head

900 1627





Planting hoe

ltem no. Head 1951 1.100

Potato hoe 2 prongs (1642) | 3 prongs (1646)

ltem no.	Head wt.	Length*	Handle	Total wt.
1642	1.000 g	130 cm	Shaft (Ash)	1.900 g
1646	1.200 g	130 cm	Shaft (Ash)	2.100 g





Field hoe

Item no. Head 1622 900

Gardening tools



86





*Length of the handle

d wt.	Length*	Handle	Total wt.
g	130 cm	Shaft (Ash)	1.900 g

Forestry and planting hoe

d wt.	Length*	Handle	Total wt.
g	130 cm	Shaft (Ash)	1.700 g

d wt.	Length*	Handle	Total wt.
)0 g	130 cm	Shaft (Ash)	2.000 g

d wt.	Length*	Handle	Total wt.
)0 g	130 cm	Shaft (Ash)	1.900 g

d wt.	Length*	Handle	Total wt.
g	130 cm	Shaft (Ash)	1.800 g



Gardening hoes

*Length of the handle Gardening hoes, forged in one piece

Bed hoe Half-round hoe Handle ltem no. Weight Length* ltem no. 140 cm Shaft (Ash) 1056 1.280 g 1511 Beet hoe Bed hoe ltem no. Length* Handle Weight ltem no. 140 cm Shaft (Ash) 1051 1.200 g 1512 Dutch hoe Planting hoe ltem no. Weight Length* Handle ltem no. W Shaft (Ash) 1.000 g 140 cm 1054 1531 Cordate hoe Bed hoe Handle Weight Length* ltem no. ltem no. 1301 1.500 g 130 cm Shaft (Ash) 1066 Gardening hoe Beet hoe Weight Length* Handle ltem no. ltem no. W 1.000 g 130 cm Shaft (Ash) 1201 1067 1.4 Gardening hoe ltem no. Weight Length* Handle

Gardening hoe, heavy

1.000 g

1101

130 cm

_					
	ltem no.	Weight	Length*	Handle	
-	1111	650 g	40 cm	Shaft (Ash)	
	1112	850 g	80 cm	Shaft (Ash)	
	1113	1.050 g	130 cm	Shaft (Ash)	

Shaft (Ash)







*Length of the handle

e			
Veight	Length*	Handle	
.500 g	130 cm	Shaft (Ash)	
Veight	Length*	Handle	
.500 g	130 cm	Shaft (Ash)	
Veight	Length*	Handle	
.250 g	130 cm	Shaft (Ash)	
Veight	Length*	Handle	
.480 g	160 cm	Shaft (Ash)	

/eight	Length*	Handle
.400 g	160 cm	Shaft (Ash)

eight	Length*	Handle
000 g	140 cm	Shaft (Ash)

Landscaping tools



Hoes	*Length of the handle

Pickaxe

ltem no.	Head wt.	Length*	Handle	Total wt.
2081	1.500 g	90 cm	Shaft (Ash)	2.350 g
2084	2.500 g	90 cm	Shaft (Ash)	3.300 g

Root pick

ltem no.	Head wt.	Length*	Handle	Total wt.
1820	1.500 g	90 cm	Shaft (Ash)	2.350 g
1821	2.500 g	90 cm	Shaft (Ash)	3.300 g

Manure scraper

ltem no.	Head wt.	Length*	Handle	Total wt.
1402	1.200 g	130 cm	Shaft (Ash)	2.100 g

Hoes



Planting pick





	-						
ltem no.	Head wt.	Length*	Handle	Total wt.			
1971	1.500 g	105 cm	Shaft (Ash)	2.000 g			
Hoopoe l angular	noe						
ltem no.	Head wt.	Length*	Handle	Total wt.			
1904	1.900 g	110 cm	Shaft (Ash)	2.400 g			
Hoopoe hoe oval							
ltem no.	Head wt.	Length*	Handle	Total wt.			
1902	1.900 g	110 cm	Shaft (Ash)	2.400 g			
Pathway building hoe							
ltem no.	Head wt.	Length*	Handle	Total wt.			
1702	1.900 g	110 cm	Shaft (Ash)	2.400 g			

Field hoe

ltem no.	Head
0903	750
0904	850

Slope hoe

ltem no.	Head wt.	Length*	Handle	Total wt.
1503	1.250 g	130 cm	Shaft (Ash)	2.500 g
1504	1.500 g	130 cm	Shaft (Ash)	2.750 g

Flat hoe

ltem no.	Head wt.	Length*	Handle	Total wt.
1603	1.250 g	130 cm	Shaft (Ash)	2.300 g
1604	1.500 g	130 cm	Shaft (Ash)	2.550 g

Clearing hoes, forged in one piece



Grub hoe

ltem no.	Weight	Length*	Handle	
1650	1.800 g	105 cm	Shaft (Ash)	

Handle

Shaft (Ash)

Geologist's hoe with PE drive head

Weight

1.900 g

ltem no.	Weight	Length*	Handle
1651	1.900 g	105 cm	Shaft (Ash)

Length*

105 cm

Stick hoe
ltem no.
 1655

www.krumpholz170	00 da
www.krumpholz179	19.0e

Forestry tools



*Length of the handle

d wt.	Length*	Handle	Total wt.
g	130 cm	Shaft (Ash)	1.500 g
g	130 cm	Shaft (Ash)	1.750 g

Forestry tools

Everyone is the forge his own luck

German proverb

Weeds are the enemy of all gardeners - because they take away important nutrients and water from your plants. You should therefore protect your plants from unloved weeds by weeding regularly. With most weeds, simply pulling or tearing them out doesn't help much they have to be pulled out or cut out with the whole root, otherwise you won't be able to keep up with the weeding because they will keep sprouting again and again.

You can find tips on removing weeds on our website at: www.krumpholz1799.de/gartentipps





Weed cutter



Weed cutter Ø 10 mm

180 g

340 g

ltem no.	Weight	Length*	Handle	
1456	160 g	14 cm	Handle (Ash)	
1458	340 g	48 cm	Button-Shaft (Ash)	


Weed cutter

ltem no.


1455

1457

ltem no.	Weight	Length*	Handle	
1390	180 g	14 cm	Handle (Ash)	
1437	340 g	48 cm	Button-Shaft (Ash)	




ltem no.	Weight	Length*	Handle	
1720	320 g	14 cm	Handle (Ash)	
1721	500 g	48 cm	Button-Shaft (Ash)	



ltem no.	Weight	Length*	Handle	
1360	250 g	14 cm	Handle (Ash)	

Weeder

with step (ite				
ltem no.	Weight	Length*	Handle	
1361	430 g	48 cm	Button-Shaft (Ash)	
1366	490 g	45 cm	T-Shaft (Ash)	





Forestry tools



Crack weeders



Crack knife

ltem no.	Weight	Length*	Handle	
1332	120 g	14 cm	Handle (Ash)	
1340	310 g	75 cm	Shaft (Ash)	
1352	380 g	140 cm	Shaft (Ash)	
1414	300 g	48 cm	Button-Shaft (Ash)	

Crack scraper

ltem no.	Weight	Length*	Handle	
1318	150 g	14 cm	Handle (Ash)	
1319	360 g	75 cm	Shaft (Ash)	
1323	480 g	140 cm	Shaft (Ash)	
1468	330 g	48 cm	Button-Shaft (Ash)	

Triangular crack scraper

ltem no.	Weight	Length*	Handle	
1353	130 g	14 cm	Handle (Ash)	
1354	340 g	75 cm	Shaft (Ash)	
1355	460 g	140 cm	Shaft (Ash)	
1494	310 g	48 cm	Button-Shaft (Ash)	



Weeding hoe

ltem no.	Weight	Length*	Handle	
1498	250 g	14 cm	Handle (Ash)	

For the narrowest places



The crack knife penetrates deep into the ground in the tightest of spaces and is therefore ideal for for removing moss or weeds from paths and between paving stones. Fig. item no.: 1332



Gardening disks

0			
0	_		

Gardening disk

ltem no.	Weight	Length*	Handle	
1326	180 g	14 cm	Handle (Ash)	
1324	480 g	75 cm	Shaft (Ash)	
1325	540 g	140 cm	Shaft (Ash)	

Gardening disk, large

ltem no.	Weight	Length*	Handle	
1091	180 g	170 cm	P-Shaft (Ash)	

Gardening disk, half-round

ltem no.	Weight	Length*	Handle	
1092	180 g	170 cm	P-Shaft (Ash)	

Landscaping tools

Sickles and scythes



Sickle for left-handers (0655)

or leit-hand	Jers (0655)			
ltem no.	Weight	Length*	Handle	
0651	300 g	14 cm	Handle (Ash)	
0652	400 g	14 cm	Handle (Ash)	
0655	300 g	14 cm	Handle (Ash)	

Scythe-shaped sickle

	ltem no.	Weight	Length*	Handle	
~	0661	500 g	14 cm	Handle (Ash)	

*Length of the handle



360° cuts

Weed removal in all directions has never been easier. The circular blade cuts unwanted plants effortlessly in all directions. Particularly well suitable in closely planted beds. Fig. item no.: 1326

A tradition of quality since 1799.

Removing weeds made easy

Cape Cod Weeder



ltem no.	Weight	Length*	Handle
1343	200 g	14 cm	Handle (Ash)
1446	250 g	28 cm	P-Shaft (Ash)

Dandelion screw





Garden sickle





Instead of trying to cut out the dandelion with a small shovel or similar gardening tool, simply screw the dandelion puller into the ground and then pull it out. The plant and its roots are then removed - a very simple principle similar to a corkscrew. Thanks to its extended handle, the garden tool is also extremely easy on the back, as it saves you having to constantly bend down to cut out and pick up the plant. Fig. item no.: 1311



*Length of the handle

Cape Cod Weeder, right-handed

Weight	Length*	Handle
200 g	14 cm	Handle (Ash)
300 g	140 cm	Shaft (Ash)
250 g	28 cm	P-Shaft (Ash)

Cape Cod Weeder, left-handed

eight	Length*	Handle
40 g	40 cm	T-Shaft (Ash)
40 g	80 cm	T-Shaft (Ash)

eight	Length*	Handle
000 g	40 cm	Button-Shaft (Ash)



A tradition of quality since 1799.

Bonsai tools



Bonsai planting fork

ltem no. 1415 40



ltem no. W 1416 30



ltem no. We 1417 40



Item no. We 1418 30

Bonsai knife



Bonsai grubber ltem no. We

1419 40

www.krumpholz1799.de



*Length of the handle

Veight	Length*	Handle
-0 g	10 cm	Handle (Ash)

Bonsai planting fork small

/eight	Length*	Handle
0 g	10 cm	Handle (Ash)

Bonsai planting trowel

eight	Length*	Handle
) g	10 cm	Handle (Ash)

/eight	Length*	Handle
0 g	10 cm	Handle (Ash)

/eight	Length*	Handle
Эg	10 cm	Handle (Ash)



RUMPHOL				A tradition of quality since 1	799.
unior tools				*Length of the h	andle
	Junior spa	ade			
	Item no. 1473		Length* 75 cm	Handle	and the second second
	1473	700 g	75 CIII	T-Shaft (ASh) tools	STREET.
	Junior poi	inted spade			
	ltem no.	Weight	Length*	Handle	
	1472	700 g	75 cm	T-Shaft (Ash)	
					B. Personal St.
	Junior sho				
	Item no. 1474	Weight 700 g	Length* 75 cm	Handle T-Shaft (Ash)	
		0			
	Junior pat	th weeder			ARA PART
	ltem no.	Weight	Length*	Handle	
	1475	400 g	75 cm	Shaft (Ash)	
					S. A. CAR
Et	Junior tro				The state of the
	Item no. 1470	Weight 160 g	Length* 10 cm	Handle Handle (Ash)	Property in
20-5					THE AL
	Junior ha	nd fork			
	ltem no.	Weight	Length*	Handle	把 图[图4]
	1471	140 g	10 cm	Handle (Ash)	and the second
the second secon	Junior gar	rdening rake	2		这 么是 3
	Item no.		Length*	Handle	
	1478	400 g	75 cm	Shaft (Ash)	Section 1

Gardening tools



A						
1000	and the owner where the party is not	-				
		and the owner where the	-	1000		
				and the second se	the second second	

www.krumpholz1799.de

the little ones the biggest

-

Working in the garden is also a great experience for the little ones. So that the "junior gardeners" can get involved with the right tools, we have developed special junior tools for children. Fig. item no.: 1470



*Length of the handle









Landscaping tools

5		
-		-Contraction

ltem no.	۷
5151	1

5152

Veight	Length*	Handle	
.900 g	130 cm	Shaft (Ash)	
.800 g	95 cm	T-Shaft (Ash)	

Shovel "Frankfurt"

1

Shovel "Holstein"

ltem no.	Weight	Length*	Handle
5051	2.000 g	130 cm	Shaft (Ash)

Shovel "Holland"

ltem no.	Weight	Length*	Handle	
6451	1.950 g	130 cm	Shaft (Ash)	
6452	1.850 g	95 cm	T-Shaft (Ash)	

Shovel "Emsland"

ltem no.	Weight	Length*	Handle	
6461	1.700 g	130 cm	Shaft (Ash)	

Shovel, forged

ltem no.	Weight	Length*	Handle	
1368	2.500 g	130 cm	Shaft (Ash)	

Ladies' shovel

_					
	ltem no.	Weight	Length*	Handle	
_	1581	2.000 g	130 cm	Shaft (Ash)	
	1582	1.900 g	95 cm	T-Shaft (Ash)	

"SPovel"

ltem no.	Weight	Length*	Handle	
5153	1.300 g	105 cm	T-Shaft (Ash)	

Aluminium shovels

Aluminium Size 7 (6208	
ltem no.	We
6208	1.7
6209	2.0

Aluminium fruit shovel

<u> </u>	
	And and a second se

ltem no.	Weight	Length*	Handle	
7621	1.800 g	130 cm	Shaft (Ash)	
7622	1.700 g	95 cm	T-Shaft (Ash)	

Shovel, American style



Lawn aerator Lawn aerator ltem no. We 1351 1.3

www.krumpholz1799.de



*Length of the handle

n shovel

)8), Size 9 (6209)

Weight	Length*	Handle
1.700 g	130 cm	Shaft (Ash)
2.000 g	130 cm	Shaft (Ash)


/eight	Length*	Handle
.800 g	130 cm	Button-Shaft (Ash)
700 g	80 cm	T-Shaft (Ash)
900 g	75 cm	D-Shaft (Ash)

eight	Length*	Handle
300 g	80 cm	T-Shaft (Ash)



A tradition of quality since 1799.

Path weeders	*Length of the handle	Rakes	*Length of the handle
R	Cordate path weeder Item no. Weight Length* Handle	Leaf rake 26 prongs Item no.	Weight Length* Handle
	1052 1.210 g 170 cm Shaft (Ash)	1460	1.050 g 150 cm Shaft (Ash)
	Half-moon path weeder	Lawn rake 20 prongs	
9	Item no.WeightLength*Handle10531.230 g170 cmShaft (Ash)	Item no. 1345	Weight Length* Handle 1.100 g 150 cm Shaft (Ash)
	Rectangular path weeder	Rake, stee 14 prongs	e l, forged in one piece (4836) 16 prongs (4837)
		Item no.	Weight Length* Handle
	Item no.WeightLength*Handle10551.200 g170 cmShaft (Ash)	4836 4837	1.500 g 150 cm Shaft (Ash) 1.800 g 150 cm Shaft (Ash)
		Street rake heavy 14 p	e rongs (4881) light 14 prongs (4981)
		Item no.	Weight Length* Handle
		4881	2.050 g 150 cm Shaft (Ash)
Hand plow		4981	1.150 g 150 cm Shaft (Ash)
n	Hand plow (610x70x105 mm)	Bow rake	
	Item no.WeightLength*Handle9802350 g48 cmButton-Shaft (Ash)	Item no. 1428	WeightLength*Handle1.800 g150 cmShaft (Ash)
		Weeding a	and Scarifying rake
\sim	Hand plow (large)	Item no.	Weight Length* Handle
	ltem no. Weight Length* Handle	1429	1.500 g 140 cm Shaft (Ash)



ltem no. We 1441 1.

ltem no.	Weight	Length*	Handle	
9803	1.000 g	140 cm	Shaft (Ash)	





/eight	Length*	Handle	
.500 g	140 cm	Shaft (Ash)	



- Shovels,
- Shovel Am
- Hollow sp
- Paving has
- Sledge ha
- Mallets
- Stone cho
- Cross han
- Nail puller
- Stripping i Scaffoldin
- Crowbars
- Ice pushe
- Snow sho
- Hand Exca
- Forks



Hand-forged quality tools that are ideal for professional use in landscaping tools. Like the garden and forestry tools, these are manufactured with the utmost care to withstand the special requirements.

EURO quality	112
merican style	115
pades	115
ammers	116
ammers	116
	117
opping sledges	117
immers	117
er	118
giron	118
ng bracket	118
S	119
ers	120
ovels	120
cavator	120
	121



*Length of the handle

Shovels, EURO quality

Landscaping tools

Forestry tools

Shovel	"Holstein"	EURO	

ltem no.	Weight	Length*	Handle	
5107	1.900 g	130 cm	Shaft (Ash)	

Shovel "Frankfurt" EURO

ltem no.	Weight	Length*	Handle	
5007	1.900 g	130 cm	Shaft (Ash)	

Shovel "Bavaria" EURO



ltem no.	Weight	Length*	Handle	
5213	2.100 g	130 cm	Shaft (Ash)	



Cable trench shovel EURO

ltem no.	Weight	Length*	Handle
6502	1.700 g	130 cm	Shaft (Ash)

Oil-hardened according to DIN

The EURO buckets from Krumpholz are made of special bucket plate, oil-hardened and powder-coated or painted clear. The casing is continuously welded - the working edges are ground and calibrated. The handles made of 1a ash wood are ff polished, clear lacquered and have a blue lower handle end.

URO Schaufe

KRUMPHOL

olgehärtet nach Die



KRUMPHOL



A tradition of quality since 1799.

Shovel American style



Hollow spades



Hollow spade SHARK with step (Item no · 5887)

ltem no.	Weight	Length*	Handle	
5885	2.420 g	80 cm	T-Shaft (Ash)	
5887	2.420 g	80 cm	T-Shaft (Ash)	



Hollow planting spade (large)

ltem no.	Weight	Length*	Handle	
5883	2.860 g	80 cm	T-Shaft (Ash)	

Hollow planting spade (medium) with step (Item no.: 5888)

ltem no.	Weight	Length*	Handle
5882	2.420 g	80 cm	T-Shaft (Ash)
5888	2.420 g	80 cm	T-Shaft (Ash)

Hollow planting spade (small)

ltem no.	Weight	Length*	Handle
5881	1.540 g	80 cm	T-Shaft (Ash)





*Length of the handle

/eight	Length*	Handle	
.800 g	130 cm	Button-Shaft (Ash)	
.700 g	80 cm	T-Shaft (Ash)	
.900 g	75 cm	D-Shaft (Ash)	

Hollow spade SPORK

/eight	Length*	Handle
.080 g	80 cm	T-Shaft (Ash)

Forestry tools



Paving hammers

*Length of the handle

```
Mallets
```

Mallet						
ltem no.	Head					
2621	3.00					
2622	4.000					
2623	5.00					
2624	6.00					
2625	8.000					
2626	10.00					



Walling hammer E	Berlin style "Safety"
------------------	-----------------------

Walling hammer Berlin style

ltem no.

5300

5301

5302

5303

Weight

1.000 g

1.500 g

2.000 g

2.500 g

Length*

18 cm

18 cm

18 cm

18 cm

Handle

Shaft (Ash)

Shaft (Ash)

Shaft (Ash)

Shaft (Ash)

ltem no.	Weight	Length*	Handle	
5351	1.000 g	18 cm	Shaft (Ash)	
5352	1.500 g	18 cm	Shaft (Ash)	
5353	2.000 g	18 cm	Shaft (Ash)	
5354	2.500 g	18 cm	Shaft (Ash)	

Stone chopping sledges

Stone chopping sledge



Sledge hammers



Sledge hammer

ltem no.	Head wt.	Length*	Handle	Total wt.
2911	3.000 g	60 cm	Shaft (Ash)	3.400 g
2912	4.000 g	70 cm	Shaft (Ash)	4.500 g
2913	5.000 g	80 cm	Shaft (Ash)	5.800 g
2914	6.000 g	80 cm	Shaft (Ash)	6.800 g
2915	8.000 g	90 cm	Shaft (Ash)	8.900 g
2916	10.000 g	90 cm	Shaft (Ash)	10.900 g

Cross hammers

Cross hammer

	ltem no.	Head wt.	Length*	Handle	Total wt.
*	2711	3.000 g	60 cm	Shaft (Ash)	3.400 g
	2712	4.000 g	70 cm	Shaft (Ash)	4.500 g
	2713	5.000 g	80 cm	Shaft (Ash)	5.800 g
	2714	6.000 g	80 cm	Shaft (Ash)	6.800 g
	2715	8.000 g	90 cm	Shaft (Ash)	8.900 g
	2716	10.000 g	90 cm	Shaft (Ash)	10.900 g

Gardening tools



*Length of the handle

d wt.	Length*	Handle	Total wt.
)0 g	60 cm	Shaft (Ash)	3.400 g
)0 g	70 cm	Shaft (Ash)	4.500 g
)0 g	80 cm	Shaft (Ash)	5.800 g
)0 g	80 cm	Shaft (Ash)	6.800 g
)0 g	90 cm	Shaft (Ash)	8.900 g
000 g	90 cm	Shaft (Ash)	10.900 g

d wt.	Length*	Handle	Total wt.
)0 g	60 cm	Shaft (Ash)	3.400 g
)0 g	70 cm	Shaft (Ash)	4.500 g
)0 g	80 cm	Shaft (Ash)	5.800 g
)0 g	80 cm	Shaft (Ash)	6.800 g
)0 g	90 cm	Shaft (Ash)	8.900 g
)00 g	90 cm	Shaft (Ash)	10.900 g

Forestry tools



Nail puller



Nail puller round Ø 22 mm

Length

60 cm

80 cm

100 cm

120 cm

Diameter

18 mm

18 mm

18 mm

18 mm

Nail puller hexagonal Ø 18 mm

Weight

1.700 g

2.100 g

2.500 g

3.000 g

ltem no.

3802

3803

3804

3807

item no.	weight	Length	Diameter	
3823	1.900 g	60 cm	22 mm	
3824	2.500 g	80 cm	22 mm	
3825	3.000 g	100 cm	22 mm	
3826	3.500 g	120 cm	22 mm	

Stripping iron



Stripping iron Ø 22 mm

ltem no.	Weight	Length	Diameter	
3701	2.450 g	80 cm	22 mm	
3702	2.700 g	90 cm	22 mm	
3703	3.100 g	100 cm	22 mm	
3704	3.600 g	120 cm	22 mm	

Stripping iron Ø 25 mm



ltem no.	Weight	Length	Diameter
3711	3.200 g	80 cm	25 mm
3712	3.600 g	90 cm	25 mm
3713	4.000 g	100 cm	25 mm
3714	4.800 g	120 cm	25 mm

Scaffolding bracket



Scaffolding bracket

ltem no.	Weight	Length	Diameter	
3921	400 g	30 cm	14 mm	

Crowbars

Crowbar with curved nail claw ltem no. We 3112 4. 3113 8. 3114 9. 3115 11

Crowbar with curved base

	ltem no.	Weight	Length	Diameter
Contraction of the local division of the loc	3122	4.750 g	125 cm	25 mm
	3123	8.000 g	150 cm	30 mm
	3124	9.500 g	175 cm	30 mm
	3125	11.000 g	200 cm	30 mm

Crowbar with chisel

ltem no.	Weight	Length	Diameter	
3102	4.750 g	125 cm	25 mm	
3103	8.000 g	150 cm	30 mm	
3104	9.500 g	175 cm	30 mm	
3105	11.000 g	200 cm	30 mm	

Crowbar, edged

ltem no.	Weight	Length	Diameter	
3002	6.500 g	125 cm	30 mm	
3003	8.500 g	150 cm	35 mm	
3004	10.000 g	175 cm	35 mm	
3005	12.000 g	200 cm	40 mm	

Crowbar with ball head and tip

ltem no.	Weight	Length	Diameter	
2503	7.000 g	125 cm	30 mm	
2504	8.500 g	150 cm	30 mm	

ltem no.	Weight	Length	Diameter	
2511	7.000 g	125 cm	30 mm	
2512	8.500 g	150 cm	30 mm	



/eight	Length	Diameter
.750 g	125 cm	25 mm
.000 g	150 cm	30 mm
.500 g	175 cm	30 mm
1.000 g	200 cm	30 mm

Crowbar with ball head and cutting edge



RUMPHOL R Werkzeugfabrikation seit 1799	A tradition of quality since 1799.	A tradition of quality since 1799.	KRUMPHOL Werkzeugfabrikation seit 1799
Ice pushers	*Length of the handle	Forks	*Length of the hand
	lce pusher		Manure fork, rail collar
	Item no.WeightLength*Handle34011.800 g130 cmShaft (Ash)	-	Item no. Weight Length* Handle 9905 1.500 g 135 cm Shaft (Ash) 9922 1.700 g 135 cm Shaft (Ash)
~	lce pusher		Hay fork, rail collar
	Item no.WeightLength*Handle34111.600 g130 cmShaft (Ash))	Item no.WeightLength*Handle99041.450 g135 cmShaft (Ash)
Snow shovels			Manure fork, spring grommet
1	Snow shovel, plywood		Item no.WeightLength*Handle99851.580 g135 cmShaft (Ash)
	Item no.WeightLength*Handle76041.800 g130 cmShaft (Ash)		Hay fork, spring grommet
	Snow shovel, aluminium	Je	Item no.WeightLength*Handle99841.550 g135 cmShaft (Ash)
	Item no.WeightLength*Handle76032.000 g130 cmShaft (Ash)		Bale fork, grommet
			Item no.WeightLength*Handle99201.300 g135 cmShaft (Ash)
Hand excavator			Horse manure fork, grommet
	Hand excavator Item no. Weight Length* Handle		Item no.WeightLength*Handle99271.700 g1.35 cmShaft (Ash)
	61016.000 g90 cmShaft (Ash)61026.500 g100 cmShaft (Ash)		Spade fork, rail collar
	Planting hand excavator	-	Item no. Weight Length* Handle 0401 1.600 g 95 cm T-Shaft (Ash) 0406 1.580 g 95 cm Button-Shaft (Ash)



www.krumpholz1799.de

Handle

Shaft (Ash)

Weight

1.660 g

Length*

80 cm

ltem no.

1350

Gardening tools

Forestry tools



0406

).	Weight	Length*	Handle
	1.600 g	95 cm	T-Shaft (Ash)
	1.580 g	95 cm	Button-Shaft (Ash)

Forestry tools

The future needs origin.

Our philosophy

By bringing together different aspects and requirements, new ideas and innovative tools are created that not only meet the technical requirements, are manufactured to a high standard and could almost pass as a design object, but are also adapted to the physiological movement sequences of the human body.



Find out more about our philosophy at: www.krumpholz1799.de/225-jahre







- Axes with
- Axes with
- Universal
- Universal a
- Felling and
- Splitting as
- Splitting ax
- Splitting h
- Splitting w
- Pickaroon
- Pickaroon
- Lifting and
- Outdoor
- Woodwor
- Billhooks



Krumpholz-Werkzeuge has a long tradition in the manufacture of high quality forestry tools. The axes for felling and limbing are hand-forged from boron steel and fitted with a high-quality hickory or ash handle. A leather edge guard and leather handle guard are also available on request.

130
132
134
134
136
140
143
143
145
146
146
148
148
149
149





High-quality protection for your forestry tools

Forestry tools play a crucial role in the maintenance and preservation of forests and in timber harvesting. Protecting these tools is of great importance, as they are not only expensive investments, but also contribute signifi-

cantly to the safety and efficiency of the work. Protecting them with high-quality materials such as leather extends the life of the tools, preserves their functionality and minimizes the risk of damage or injury during work. Ultimately, preserved tools mean less downtime, greater safety has enormous advantages compared to a metal handand better performance in forest management and forele guard. The handmade leather protection protects the handle from damage that occurs when it comes into constry work. tact with the wood.

The blade guard of our Forestry tools is hand-sewn and made of genuine leather. It is ideal for preventing injuries At the same time, it can be pulled off the handle with a caused by the sharply ground cutting edge and protecsmall grip so that the wood can breathe and dry. ting it from blunting, knocks and scratches.

This prevents the handle from rotting and prevents mois-The leather handle guard made of genuine cowhide ture from collecting under the handle protector.

If I had eight hours to chop down a tree, I would spend six hours grinding the axe.

Abraha<mark>m Linc</mark>oln


We offer a wide range of high-quality universal and splitting axes - each one tailored to the physiological requirements of weight, robustness and handling. So you are guaranteed to find the axe that suits your requirements.





*Length of the handle

Axes with leather protection



ltem no.	Head wt.	Length*	Handle	Total wt.
0333	330 g	36 cm	Cow foot (Ash)	530 g
0334	330 g	36 cm	Cow foot (Hickory)	570 g

Camping hatchet

ltem no.	Head wt.	Length*	Handle	Total wt.
0313	500 g	36 cm	Cow foot (Ash)	730 g
0314	500 g	36 cm	Cow foot (Hickory)	870 g

Hand axe

ltem no.	Head wt.	Length*	Handle	Total wt.
0351	600 g	38 cm	Cow foot (Ash)	800 g
0352	800 g	38 cm	Cow foot (Ash)	1.000 g
0353	1.000 g	40 cm	Cow foot (Ash)	1.200 g
0355	600 g	38 cm	Cow foot (Hickory)	900 g
0356	800 g	38 cm	Cow foot (Hickory)	1.100 g
0357	1.000 g	40 cm	Cow foot (Hickory)	1.300 g

Leisure axe

ltem no.	Head wt.	Length*	Handle	Total wt.
0359	700 g	40 cm	Cow foot (Ash)	1.000 g
0360	700 g	40 cm	Cow foot (Hickory)	1.000 g

Forestry axe

0361 1.000 g 60 cm Cow foot (Ash) 1.300 g 0362 1.250 g 70 cm Cow foot (Ash) 1.700 g 0363 1.400 g 70 cm Cow foot (Ash) 1.950 g 0364 1.600 g 80 cm Cow foot (Ash) 2.200 g 0365 1.000 g 60 cm Cow foot (Hickory) 1.400 g 0366 1.250 g 70 cm Cow foot (Hickory) 1.800 g 0366 1.250 g 70 cm Cow foot (Hickory) 2.100 g	ltem no.	Head wt.	Length*	Handle	Total wt.
0362 1.250 g 70 cm Cow foot (Ash) 1.700 g 0363 1.400 g 70 cm Cow foot (Ash) 1.950 g 0364 1.600 g 80 cm Cow foot (Ash) 2.200 g 0365 1.000 g 60 cm Cow foot (Hickory) 1.400 g 0366 1.250 g 70 cm Cow foot (Hickory) 1.800 g			0		
0363 1.400 g 70 cm Cow foot (Ash) 1.950 g 0364 1.600 g 80 cm Cow foot (Ash) 2.200 g 0365 1.000 g 60 cm Cow foot (Hickory) 1.400 g 0366 1.250 g 70 cm Cow foot (Hickory) 1.800 g		U			0
0364 1.600 g 80 cm Cow foot (Ash) 2.200 g 0365 1.000 g 60 cm Cow foot (Hickory) 1.400 g 0366 1.250 g 70 cm Cow foot (Hickory) 1.800 g		0		× ,	0
0365 1.000 g 60 cm Cow foot (Hickory) 1.400 g 0366 1.250 g 70 cm Cow foot (Hickory) 1.800 g		U	, o citi	. ,	U
0366 1.250 g 70 cm Cow foot (Hickory) 1.800 g		0			0
		U	00 011		0
		Ū.			0
	0368	1.600 g	80 cm	Cow foot (Hickory)	2.500 g

www.krumpholz1799.de

and the second second second

A CANADA	
12-11-1	
Y ALA	
A Long A	
	Alter
AL SALAR	
	A A
	2 Marsh
Strate Strate	4.
Real A	
	1000
CONTRACTOR OF	
ST AND	
AS AN ALA	







Landscaping tools





Axes with drive head and leather protection

*Length of the handle



ltem no.	Head wt.	Length*	Handle	Total wt.
0391	1.250 g	70 cm	Cow foot (Hickory)	2.000 g
0392	1.600 g	80 cm	Cow foot (Hickory)	2.400 g



Double wedge splitting axe with drive head

ltem no.	Head wt.	Length*	Handle	Total wt.
0393	1.700	80 cm	Cow foot (Hickory)	2.800 g



Splitting hammer "Safety"

ltem no.	Head wt.	Length*	Handle	Total wt.
0020	3.200 g	90 cm	Cow foot (Hickory)	4.200 g





Gardening tools

Safety for orestry work

The "must-have" for real forestry work: With these axes and splitting hammers, a polymer impact surface absorbs the impact, which not only significantly reduces the noise level but also the significantly reduces the risk of metal splintering and increases the service life of the wedges. Fig. item no.: 0393



*Length of the handle

Universal hatchets









Gardening hatchet

ltem no.	Head wt.	Length*	Handle	Total wt.
0331	330 g	36 cm	Cow foot (Ash)	470 g
0332	330 g	36 cm	Cow foot (Hickory)	520 g

Camping hatchet

ltem no.	Head wt.	Length*	Handle	Total wt.
0311	500 g	36 cm	Cow foot (Ash)	700 g
0312	500 g	36 cm	Cow foot (Hickory)	750 g

Leisure hatchet

ltem no.	Head wt.	Length*	Handle	Total wt.
0571	700 g	40 cm	Cow foot (Ash)	1.000 g
0051	700 g	40 cm	Cow foot (Hickory)	1.100 g

Forest hatchet

ltem No.	Weight	Length*	Handle
0130	300 g	36 cm	Cow foot (Hickory)
0131	500 g	38 cm	Cow foot (Hickory)
0132	800 g	40 cm	Cow foot (Hickory)

Universal axes





Forestry and splitting axe (Ash shaft)

item no.		Lengen	Hanaic	
0541	1.000 g	70 cm	Cow foot (Ash)	1.500 g
0542	1.250 g	80 cm	Cow foot (Ash)	1.850 g
0543	1.500 g	80 cm	Cow foot (Ash)	2.100 g
0544	1.800 g	90 cm	Cow foot (Ash)	2.600 g
0545	2.000 g	90 cm	Cow foot (Ash)	2.800 g

Forestry and splitting axe (Hickory shaft)

ltem no.	Head wt.	Length*	Handle	Total wt.
0081	1.000 g	70 cm	Cow foot (Hickory)	1.600 g
0082	1.250 g	80 cm	Cow foot (Hickory)	1.950 g
0083	1.500 g	80 cm	Cow foot (Hickory)	2.200 g
0084	1.800 g	90 cm	Cow foot (Hickory)	2.700 g
0085	2.000 g	90 cm	Cow foot (Hickory)	2.900 g



Gardening tools

Light, sharp & handy

The classic garden hatchet is ideal for pruning and making kindling. The hand-forged axe edge made of high-quality steel and a high-quality ash or hickory handle ensure stability and a long service life. The garden hatchet can be supplied with a leather leather blade guard and the matching belt buckle. **Fig. item no.: 0332**



Felling and pruning axes

*Length of the handle

Forestry axe (Ash shaft)

ltem no.	Head wt.	Length*	Handle	Total wt.
0510	800 g	50 cm	Cow foot (Ash)	1.100 g
0511	1.000 g	60 cm	Cow foot (Ash)	1.300 g
0512	1.250 g	70 cm	Cow foot (Ash)	1.800 g
0513	1.400 g	70 cm	Cow foot (Ash)	1.900 g
0514	1.600 g	80 cm	Cow foot (Ash)	2.100 g

Forestry axe (Hickory shaft)


ltem no.	Head wt.	Length*	Handle	Total wt.
0011	1.000 g	60 cm	Cow foot (Hickory)	1.400 g
0012	1.250 g	70 cm	Cow foot (Hickory)	1.900 g
0013	1.400 g	70 cm	Cow foot (Hickory)	2.100 g
0019	1.600 g	80 cm	Cow foot (Hickory)	2.400 g

Hand axe (Ash shaft)

ltem no.	Head wt.	Length*	Handle	Total wt.
0501	600 g	38 cm	Cow foot (Ash)	800 g
0502	800 g	38 cm	Cow foot (Ash)	1.000 g
0503	1.000 g	40 cm	Cow foot (Ash)	1.200 g

Hand axe (Hickory shaft)

ltem no.	Head wt.	Length*	Handle	Total wt.
0005	600 g	38 cm	Cow foot (Hickory)	850 g
0006	800 g	38 cm	Cow foot (Hickory)	1.050 g
0007	1.000 g	40 cm	Cow foot (Hickory)	1.300 g









Landscaping tools



If you want to keep a good fire, you first have to split the coarse wood.

Johann Nepomuk Vogl

To minimize the effort required when splitting wood, you should use special splitting axes, splitting wedges and splitting hammers. Their properties make them perfect for splitting wood. Our handforged splitting tools meet the highest standards of quality and ergonomics.





Splitting axes with leather protection & cutting edge protection

*Length of the handle

Super splitting axe

ltem no.	Head wt.	Length*	Handle	Total wt.
0371	1.100 g	60 cm	Cow foot (Ash)	1.600 g
0372	2.000 g	80 cm	Cow foot (Ash)	2.700 g
0376	1.100 g	60 cm	Cow foot (Hickory)	1.800 g
0377	2.000 g	80 cm	Cow foot (Hickory)	2.900 g

Double-wedge splitting axe

ltem no.	Head wt.	Length*	Handle	Total wt.
0373	1.700 g	80 cm	Cow foot (Ash)	2.500 g
0378	1.700 g	80 cm	Cow foot (Hickory)	2.650 g

Splitting hammer, hand-forged

ltem no.	Head wt.	Length*	Handle	Total wt.
4004	3.200 g	90 cm	Cow foot (Ash)	3.900 g
4005	3.200 g	90 cm	Cow foot (Hickory)	4.100 g



ltem no.	Head wt.	Length*	Handle	Total wt.
4004	3.200 g	90 cm	Cow foot (Ash)	3.900 g
4005	3.200 g	90 cm	Cow foot (Hickory)	4.100 g





Gardening tools

Enormous power transmission

ize the effort required, you should use special splitting axes when splitting wood. when splitting wood. Their sharp cutting edge penetrates the wood easily and the wedge-shaped, widening head shape is ideal for pushing the wood apart. head shape is ideal for pushing the wood apart. The grooves on the sides of the the sides of the axe head reduce friction, improve guidance d push the wood apart guidance and push the wood apart more effectively. Fig. item no.: 0523 (with leather protection 0373)

Always perfectly protected

A tradition of quality since 1799.

Splitting axes

ArtNr.	Kopfgew.	Length*	Stiel	Total wt.
0521	1.100 g	60 cm	Cow foot (Ash)	1.600 g
0522	2.000 g	80 cm	Cow foot (Ash)	2.700 g
0014	1.100 g	60 cm	Cow foot (Hickory)	1.800 g
0015	2.000 g	80 cm	Cow foot (Hickory)	2.900 g

Double-wedge splitting axe

ArtNr.	Kopfgew.	Length*	Stiel	Total wt.
0523	1.700 g	80 cm	Cow foot (Ash)	2.500 g
0016	1.700 g	80 cm	Cow foot (Hickory)	2.650 g

Splitting hammers



ArtNr.	Kopfgew.	Length*	Stiel	Total wt.
4001	3.200 g	90 cm	Cow foot (Ash)	4.100 g
4002	3.200 g	90 cm	Cow foot (Hickory)	4.200 g

To protect the handle when splitting wood, our splitting axes can be fitted with a matching leather guard on request, which is easy to remove. Fig. item no.: 0373



*Length of the handle

Super splitting axe (Ash shaft)

Gardening tools

Splitting hammer, hand-forged

Effective power transmission

A tradition of quality since 1799.

Splitting wedges



Twisted splitting wedge "Safety"

Item no. 3316 2

Splitting wedge "Safety"

ltem no.	Weight	Length	Handle	
3318	1.800 g	26 cm	_	
3319	2.300 g	27 cm	-	
3317	2.800 g	29 cm	_	
3320	3.300 g	29 cm	_	



ltem no. W 3315 2.

Wood splitting wedge

ltem no.	Weight	Length	Handle	
3311	1.500 g	23 cm	-	
3312	2.000 g	24 cm	-	
3313	2.500 g	26 cm	-	
3314	3.000 g	26 cm	-	

Splitting wedges are available in various shapes, sizes and designs. The wedge surfaces are scaled on the sides or provided with grooves and ridges to achieve a better effect. Rotary splitting wedges are a special type which, thanks to their twist, transfer the force of the impact even more effectively into the wood and significantly increase their splitting effect due to the wider wedge angle Fig. item no.: 3313

www.krumpholz1799.de



/eight	Length	Handle
.800 g	23 cm	_

Twisted splitting wedge

eight	Length	Handle
500 g	23 cm	



Pickaroons

Total wt.

1.900 g

2.000 g

Gardening tools

Landscaping tools



Item no. Head wt. Length* Handle Total wt. 0581 600 g 40 cm Cow foot (Ash) 800 g 0584 600 g 60 cm Cow foot (Ash) 900 g 0582 600 g 80 cm Cow foot (Ash) 1.000 g
0584 600 g 60 cm Cow foot (Ash) 900 g
0582 600 g 80 cm Cow foot (Ash) 1.000 g
0041 600 g 40 cm Cow foot (Hickory) 900 g
0044 600 g 60 cm Cow foot (Hickory) 1.000 g
0042 600 g 80 cm Cow foot (Hickory) 1.100 g

Handle

Cow foot (Ash)

Cow foot (Hickory)

Length³

90 cm

90 cm

Pickaroon axes







Wood cutter	pickaroon	axe
-------------	-----------	-----

Euro Pickaroon

Hand Pickaroon

0583

0043

Item no. Head wt.

1.200 g

1.200 g

ltem no.	Head wt.	Length*	Handle	Total wt.
0591	1.500 g	90 cm	Cow foot (Ash)	1.900 g

Pickaroon wood axe

ltem no.	Head wt.	Length*	Handle	Total wt.
0594	1.250 g	70 cm	Cow foot (Ash)	2.000 g

Pickaroon double wedge splitting axe

ltem no.	Head wt.	Length*	Handle	Total wt.
0592	1.700 g	80 cm	Cow foot (Ash)	2.500 g

Pickaroon super splitting axe

ltem no.	Head wt.	Length*	Handle	Total wt.
0593	2.000 g	80 cm	Cow foot (Ash)	2.800 g

www.krumpholz1799.de

As an extension of your own "contact surface", the Sappie makes it easier to move and drag pieces of wood around. The reduced use of force is easy on your muscles and back. Simply drive the tip into the wood and you have it completely under control. A lying log can be pulled, lifted or turned with a hammered-in tip. Fig. item no.: 0042

Having the wood under control



max. claw opening

250 mm

A tradition of quality since 1799.

Lifting and towing pliers		*Length of the handle	Woodworking
	Hand lifting pliers		

Length*

16 cm

Weight

950 g

	Tree peeler				Ga
	ltem no.	Weight	Length*	Handle	Gardening
	0802	250 g	80 cm	Shaft (Ash)	ning
					tools
	Draw knife	2			01
	ltem no.	Weight	Length*	Handle	
and the second s	0842	600 g	14 cm	Handle (Ash)	




Towing pliers

ltem no.

3161

ltem no.	Weight	Length*	max. claw opening
3162	1.200 g	16 cm	300 mm





Outdoor axes	
--------------	--



D ~ ~	~~		
Ran	ige	15	axe

ltem no.	Head wt.	Length*	Handle	Total wt.
0101	500 g	36 cm	Cow foot (Hickory)	700 g



ltem no.	Head wt.	Length*	Handle	Total wt.
0105	330 g	36 cm	Cow foot (Hickory)	600 g

ltem no.	Head wt.	Length*	Handle	Total wt.
0108	600 g	36 cm	Cow foot (Hickory)	900 g

Poachers'	Poachers' axe		
ltem no.	Head wt.	Length*	
0108	600 g	36 cm	

Gardening tools



*Length of the handle

/eight	Length*	Handle	
.400 g	90 cm	Cow foot (Ash)	

eight	Length*	Handle	
00 g	14 cm	Ledergriff	

/eight	Length*	Handle
50 g	14 cm	Handle (Ash)

	1 (1.4)	
/eight	Length*	Handle
00 g	14 cm	Handle (Ash)




*Length of the handle

Replacement shafts and handles

Replacement shafts and handles





Spatenstiel

Art.-Nr.

ArtNr.	Gewicht	Length*	Stiel	
9707	600 g	75 cm	T-Shaft (Ash)	
9711	650 g	75 cm	D-Shaft (Ash)	

Length*

T-Shaft (Ash)

suitable for Gärtnerspork (9713) und Damenspork (9712)

ArtNr.	Gewicht	Length*	Stiel	
9712	500 g	80 cm	T-Shaft (Ash)	
9713	600 g	90 cm	T-Shaft (Ash)	

T-Shaft (Ash)

suitable for Spatengabel (Art.-Nr.: 0411) und Stechspaten (Art.-Nr.: 5242)

ArtNr.	Gewicht	Length*	Stiel
0412	600 g	80 cm	T-Shaft (Ash)

T-Shaft (Ash)

suitable for Gabeln

ArtNr.	Gewicht	Length*	Stiel
9504	600 g	95 cm	T-Shaft (Ash)

T-Shaft (Ash)

suitable for Schaufeln

A	rtNr.	Gewicht	Length*	Stiel
9	504	600 g	95 cm	T-Shaft (Ash)



suitable for Damenspaten (Art.-Nr.: 1346, 1347)

ArtNr.	Gewicht	Length*	Stiel	
9710	500 g	75 cm	T-Shaft (Ash)	



T-Shaft (Asł suitable for	1) Rasenkanten	stecher		
ArtNr.	Gewicht	Length*	Stiel	
1544	600 g	85 cm	T-Shaft (Ash)	

T-Shaft (Ash)				
suitable for H	Iohl			
ArtNr.	Ge			
5889	60			

Spatenstiel

ArtNr.	Gewicht	Length*	Stiel
9702	600 g	90 cm	T-Shaft (Ash)
9704	600 g	100 cm	Button-Shaft (Ash)
9701	600 g	90 cm	D-Shaft (Ash)

Spatenstiel

Art.-Nr. Ge 9709 60

Spatenstiel

ArtNr.	Gewicht	Length*	Stiel	
9705	800 g	90 cm	T-Shaft (Ash)	
9706	800 g	100 cm	Button-Shaft (Ash)	
9708	800 g	90 cm	D-Shaft (Ash)	

Handle (Ash)

ArtNr.	Gewicht	Length*	Stiel
9005	50 g	14 cm	Handle (Ash)
9006	50 g	14 cm	Handle (Ash)

Button-Shaft (Ash)

ArtNr.	Gewicht	Length*	Stiel
9007	180 g	48 cm	Button-Shaft (Ash)
9008	180 g	48 cm	Button-Shaft (Ash)

85 cm T-Shaft (Ash) D-Shaft (Ash) 85 cm Spatenstiel suitable for Spaten aus einem Stück Stahl

suitable for Damenhandspaten geschmiedet

Gewicht



Stiel











*Length of the handle

Ispaten

ewicht	Length*	Stiel	
)0 g	80 cm	T-Shaft (Ash)	

suitable for Gärtnerspaten (Art.-Nr.: 1377)

suitable for Damenspaten (Art.-Nr.: 1376)

ewicht	Length*	Stiel
00 g	85 cm	T-Shaft (Ash)

suitable for Rodespaten (Art.-Nr.: 1378)

mit Bohrung Ø 8 mm (9005) und Ø 10 mm (9006)

mit Bohrung Ø 8 mm (9007) und Ø 10 mm (9008)



Replacement shafts and handles

*Length of the handle

Replacement shafts and handles

Shaft (Ash) suitable for Handhacken mit rundem Auge

ArtNr.	Gewicht	Length*	Stiel	
1190	250 g	40 cm	Shaft (Ash)	
1191	350 g	80 cm	Shaft (Ash)	
1192	450 g	130 cm	Shaft (Ash)	

Shaft (Ash)

suitable for	Sauzahn ges	chmiedet		
ArtNr.	Gewicht	Length*	Stiel	
4805	900 g	160 cm	Shaft (Ash)	

Shaft (Ash)

Aut NI	. C		10 m + h +	c
suitable	for Hacken	mit runde	em Auge	

ArtINF.	Gewicht	Length*	Stiel	
1670	800 g	130 cm	Shaft (Ash)	

Shaft (Ash)

suitable for Pflanzhacke

ArtNr.	Gewicht	Length*	Stiel
1979	800 g	105 cm	Shaft (Ash)

Shaft (Ash)

suitable for Kreuzhacken 1,5 kg (Art.Nr.: 2082) | 2,5 kg (Art.Nr.: 2085)

ArtNr.	Gewicht	Length*	Stiel	
2082	750 g	90 cm	Shaft (Ash)	
2085	900 g	90 cm	Shaft (Ash)	

Shaft (Ash)

suitable for Wiedehopfhauen

ArtN	r. Gewicht	Length*	Stiel	
9022	500 g	110 cm	Shaft (Ash)	

Shaft (Ash)

suitable for Hauen (Art.-Nr.: 0903, 1511, 1301)

ArtNr.	Gewicht	Length*	Stiel	
9011	750 g	130 cm	Shaft (Ash)	



Art.-Nr. Ge 1697 50 50 1698 50 1699

Shaft (Ash)

suitable for Rechen (1460)

Art.-Nr. Ge 9715 30

Shaft (Ash)

suitable for Rechen (1345)

Art.-Nr. Ge 9714 30

Shaft (Ash)

ArtNr.	Gewicht	Length*	Stiel
4839	300 g	150 cm	Shaft (Ash)

Shaft (Ash)

ArtNr.	Gewicht	Length*	Stiel	
9601	400 g	130 cm	Shaft (Ash)	



*Length of the handle

suitable for Hauen (Art.-Nr.: 1503, 1603)

ewicht	Length*	Stiel	
50 g	130 cm	Shaft (Ash)	

suitable for Schaufeln (9502 blau anlackiert)

ewicht	Length*	Stiel
)0 g	130 cm	Shaft (Ash)
00 g	130 cm	Shaft (Ash)

suitable for Schaufel amerikanische Form

ewicht	Length*	Stiel
00 g	130 cm	Button-Shaft (Ash)
00 g	80 cm	T-Shaft (Ash)
00 g	75 cm	D-Shaft (Ash)

ewicht	Length*	Stiel	
00 g	150 cm	Shaft (Ash)	

ewicht	Length*	Stiel
00 g	150 cm	Shaft (Ash)

suitable for Rechen (4836 - 4981)

suitable for Eisstößer und Baumschäler



Replacement shafts and handles

*Length of the handle

Replacement shafts and handles

· Water



Cow foot shaft suitable for Hand hoes

Intem no.	Weight	Length*	Handle
1529	350 g	48 cm	Cow foot (Ash)



Cow foot shaft

Cow foot shaft suitable for Camping

ArtNr.	Gewicht	Length*	Stiel
0318	200 g	36 cm	Cow foot (Ash)
0319	240 g	36 cm	Cow foot (Hickory)

Cow foot shaft

suitable for Hand

Intem no.	Weight	Length*	Handle	
0506	200 g	38 cm	Cow foot (Ash)	
0507	200 g	40 cm	Cow foot (Ash)	
0097	300 g	38 cm	Cow foot (Hickory)	
0098	300 g	40 cm	Cow foot (Hickory)	

Cow foot shaft

Intem no.	Weight	Length*	Handle	
0576	300 g	40 cm	Cow foot (Ash)	
0052	400 g	40 cm	Cow foot (Hickory)	

Cow foot shaft suitable for Forestry axe

Intem no.	Weight	Length*	Handle
0516	300 g	60 cm	Cow foot (Ash)
0517	500 g	70 cm	Cow foot (Ash)
0518	700 g	80 cm	Cow foot (Ash)
0094	400 g	60 cm	Cow foot (Hickory)
0095	550 g	70 cm	Cow foot (Hickory)
0096	900 g	80 cm	Cow foot (Hickory)

	6	
suitable for F	Pickaroon wo	od axe
Shaft (Ash)		

ArtNr.	Gewicht	Length*	Stiel
9104	600 g	90 cm	Cow foot (Ash)

Shaft (Ash)

suitable for Paving hammer

Intem no.	Weight	Length*	Handle	
5311	150 g	18 cm	Shaft (Ash)	

Shaft (Ash)

suitable for HAMMER 3-4 kg (Item no.: 9205) | 5-6 kg (Item no.: 9206)

Intem no.	Weight	Length*	Handle
9201	300 g	60 cm	Shaft (Ash)
9202	350 g	70 cm	Shaft (Ash)
9203	400 g	80 cm	Shaft (Ash)
9204	500 g	90 cm	Shaft (Ash)
9205	500 g	90 cm	Shaft (Ash)
9206	500 g	90 cm	Shaft (Ash)

Shaft (Ash)

suitable for Hand Excavator

Intem no.	Weight	Length*	Handle	
6103	300 g	90 cm	Shaft (Ash)	
6104	300 g	100 cm	Shaft (Ash)	

T-Shaft (Ash) mit Schienenzwinge

suitable for Forkes

Intem no.	Weight	Length*	Handle
9603	400 g	95 cm	T-Shaft (Ash)

Shaft (Ash) with rail clamp

suitable for Gabeln

Intem no.	Weight	Length*	Handle	
9602	400 g	135 cm	Shaft (Ash)	









*Length of the handle

suitable for a Gardening axe

/eight	Length*	Handle
00 g	36 cm	Cow foot (Ash)
40 g	36 cm	Cow foot (Hickory)

nd axe

suitable for Leisure axe



Replacement shafts and handles





Cow foot shaft suitable for Super splitting axe

	Super Sprice	18 0/10		
ltem no.	Weight	Length*	Handle	
0525	500 g	60 cm	Cow foot (Ash)	
0526	700 g	80 cm	Cow foot (Ash)	
0091	700 g	60 cm	Cow foot (Hickory)	
0092	900 g	80 cm	Cow foot (Hickory)	



suitable for Double-wedge splitting axe

		0 1 0		
ltem no.	Weight	Length*	Handle	
0527	800 g	80 cm	Cow foot (Ash)	
0093	950 g	80 cm	Cow foot (Hickory)	



suitable for Splitting hammer

	opincing num	liniter		
ltem no.	Weight	Length*	Handle	
0536	800 g	90 cm	Cow foot (Ash)	
0090	950 g	90 cm	Cow foot (Hickory)	

Cow foot shaft

suitable for Forestry and splitting axe

ltem no.	Weight	Length*	Handle	
0546	500 g	70 cm	Cow foot (Ash)	
0547	600 g	80 cm	Cow foot (Ash)	
0548	800 g	90 cm	Cow foot (Ash)	
0087	600 g	70 cm	Cow foot (Hickory)	
0088	700 g	80 cm	Cow foot (Hickory)	
0089	900 g	90 cm	Cow foot (Hickory)	

Cow foot shaft

ltem no.	Weight	Length*	Handle
0586	200 g	40 cm	Cow foot (Ash)
0589	300 g	60 cm	Cow foot (Ash)
0587	400 g	80 cm	Cow foot (Ash)
0588	700 g	90 cm	Cow foot (Ash)
0046	300 g	40 cm	Cow foot (Hickory)
0049	400 g	60 cm	Cow foot (Hickory)
0047	500 g	80 cm	Cow foot (Hickory)
0048	800 g	90 cm	Cow foot (Hickory)

*Length of the handle



Our sales displays

On request, it is possible to plan and build individual custom-made complete tool walls or smaller presentation options. Alternatively, existing walls made of TEGO metal can also be fitted with tools.



To ensure the greatest possible satisfaction and customer proximity, we deliver our tools within Europe using our own truck wherever possible.



On customer request, our tools are supplied in special sales and presentation displays. The displays, which are primarily made for garden centers, are assembled according to customer requirements and equipped with various tools.

The number of displays is generally unlimited. They can be set up from 3 meters in length, but 20-meter tool walls are also possible without duplicating a tool. The selection of tools depends on the customer's requirements and is supplemented by our experience with various tools.





Reference solutions

As a retailer, you benefit from our customized service. We support your product presentation with sales displays, catalogs, flyers, posters, advertising banners or other advertising materials. Are you interested in including our tools in your product range and becoming an ambassador for the Krumpholz brand? We would be happy to show you the possibilities and make you an individual offer. We look forward to getting in touch with you.






































A tradition of quality since 1799.















Item number directory

0005 136 0392 132 1054 88 1325 98 1406 67 1474 104 14	1587 60 1768
	1588 62 1769
	1589 60 1770
	1591 67 1771
	1592 67 1772
	1593 67 1773
	1594 60 1774
	1595 60 1775
	1596 60 1776
	1597 62 1777
	1598 60 1778
	1599 60 1779
	1603 91 1783
	1604 91 1784
	1622 87 1789
	1625 86 1790
	1627 87 1791
	1629 86 1792
	1632 87 1793
	1642 87 1794
	1646 87 1795
	1650 90 1796
	1651 90 1797
	1655 90 1798
	1681 86 1820
	1683 86 1821
	1691 107, 115 1902
	1692 107, 115 1904
	1693 107, 115 1951
	1702 91 1962
	1710 52 1971
	1711 52 2081
0332 41, 134 0591 146 1156 85 1363 54 1444 55 1527 81 1150	1712 52 2084
0333 41,130 0592 146 1171 82 1364 56 1445 101 1531 89 13	1713 55 2503
0334 41, 130 0593 146 1172 82 1365 57 1446 101 1532 81 1172	1714 55 2504
0351 130 0594 146 1173 82 1366 94 1447 45 1533 81 13	1715 53 2511
0352 130 0601 149 1201 85, 88 1368 106 1448 54 1534 81 1368	1716 53 2512
<u>0353 130 0611 149 1203 82 1370 74 1449 54 1535 81 15</u>	1717 52 2621
<u>0355 130</u> <u>0621 149</u> <u>1204 82</u> <u>1376 67</u> <u>1450 54</u> <u>1536 81</u> <u>15</u>	1718 52 2622
<u>0356 130</u> <u>0631 101</u> <u>1205 82</u> <u>1377 67</u> <u>1451 54</u> <u>1537 81</u> <u>15</u>	1719 <u>53</u> <u>2623</u>
	<u>1720 94</u> <u>2624</u>
	<u>1721 94</u> <u>2625</u>
	<u>1725 57</u> <u>2626</u>
	<u>1730 53</u> <u>2711</u>
	<u>1731 53</u> <u>2712</u>
	<u>1732 53</u> <u>2713</u>
	<u>1733 53</u> <u>2714</u>
	<u>1734 53</u> <u>2715</u>
	<u>1735 53</u> <u>2716</u>
	<u>1741 89</u> <u>2811</u>
	1746 53 <u>2812</u>
	<u>1751 43, 74</u> <u>2813</u>
	1752 43, 74 2814 1752 43, 74 2815
	1753 43, 74 <u>2815</u>
	<u>1754 43, 74</u> <u>2816</u> <u>2011</u>
	<u>1755 43, 74</u> <u>2911</u>
	<u>1756 43, 74</u> <u>2912</u>
<u>0391 132</u> <u>1053 108</u> <u>1324 98</u> <u>1404 101</u> <u>1473 104</u> <u>1586 62</u> <u>1324</u>	<u>1764 45</u> <u>2913</u>



ltem no.	Page
1768	64
1768	64
1770	64
1771	64
1772	64
1773	64
1774	64
1775	64
1776	60
1777	60
1778	64
1779	62
1783	62
1784	60
1789	60
1790	69
1791	69
1791	69
1792	
-	69
1794	69
1795	69
1796	69
1797	69
1798	69
1820	90
1821	90
1902	91
1904	91
1951	87
1962	87
1971	91
2081	90
2084	90
2503	119
2504	119
2511	119
2512	119
2621	119
2622	117 117
2623	117
2624	117
2625	117 117 117 117 117 117 117 117
2626	117
2711	117
2712	117
2713	117
2714	117
2715	117 117
2716	117
2811	117
2812	117 117 117
2813	117
2813	117
	117
2815	117 117 117
2816	11/
2911	116
2912	116
2913	116

ltem no	. Page
2914	116
2915	116
2916	116
	110
3002	119
3003	119
3004	119
3005	119
3102	119
3103	119
3104	119
3105 3112	
3112	119
3113	119
3114	119
3115	119
3122	119
3123	119
3124	119
3125	119
3123	
3161	148 148
3162	148
3311	145
3312	145
3313	145
3314	145
3315	145
3316	145
	145
3317	145
3318	145 145 145 145
3319	145
3320	145
3401	120
3411	120
3701	118
3702	118
3703	118
3704	118
3711	
3712	118
3713	118
3714	118
3802	118
3803	118
3804	118
3807	118
3823	118
3824	118
3825	118
3826	118
3921	118
4001	143
4002	143
4004	140
4005	140
4836	109
	109
4837	
4881	109
4981	109

ltem no.	Page
5007	112
5051	106
5107	112
5151	106
5152	106
5153	106
5213	112
5300	116
5301	116
5302	116
5303	116
5351	116
5352	116
5353	116
5354	116
5881	115
5882	115
5883	115
5884	115
5885	115
5887	115
5888	115
5891	69 69
5892	69
5893	69
5894	69
5895	69
6101	120
6102	120
6208	107
6209	107
6451	106
6452	106
6461	106
6502	112
6701	67
6702	67
7603	120
7604	120
7621	107
7622	107
9801	45
9802	108
9803	108
9904	121
9905	121
9920	121
9922	121
9927	121
9984	77, 121
9985 ·	77, 121
	, , , , , , , , , , , , , , , , , , , ,



General Terms and Conditions

Terms of sale, delivery and payment

1. Acceptance of the conditions of sale

The following terms and conditions apply to all sales. Any deviations or verbal agreements require our written confirmation.

2. Offer

All offers are non-binding for us.

Imprint 3. Prices

Krumpholz Werkzeuge e.K.

Subject to change without notice.

No liability for printing errors.

Claus Krumpholz, Marco Wirth

Guttenberger Hammer 2 D-95356 Grafengehaig

Responsible

Claus Krumpholz

Editorial team

Concept Marco Wirth

Layout Marco Wirth

Printing

20.12.2023

Once per year

Follow us

More information www.krumpholz1799.de

Facebook & Instagram

Franken-Grafik & Druck

Frequency of publication

Editorial deadline

Prices are quoted in EURO and are subject to change, excluding shipping and packaging costs.

4. Packaging

Some items are delivered in special packaging. We reserve the right to round your order up or down to the next higher or lower packaging unit.

5. Delivery time

Delivery times are given to the best of our knowledge, but without guarantee. Agreed delivery periods shall commence on the day the order is accepted. Events of force majeure shall entitle us to postpone delivery for the duration of the hindrance. Force majeure also includes circumstances that make delivery considerably more difficult or impossible for us. Claims for damages against us are excluded.

6. Guarantee

We grant a guarantee on our tools. However, this only covers manufacturing or material defects. We accept no liability for damage caused by improper use. Any other claims, in particular claims for damages, are excluded.

7. Terms of payment

If the target is exceeded, interest on arrears will be charged at the standard commercial interest rate.


8. Retention of title

All goods delivered by us shall remain our property until full payment has been made.

9. Place of performance and jurisdiction for delivery and payment is Kulmbach

10. The above conditions shall remain in force even if one or more of them become ineffective

11. Terms of deliveryDelivery is optional:a) free domicile from 1,250.00 Euro netb) ex works



www.krumpholz1799.de



Krumpholz-Werkzeuge e.K.

Owner: Claus Krumpholz Guttenberger Hammer 2 D-95356 Grafengehaig ((+49) 9255 / 362 (+49) 9255 / 532 (+49) 9255 / 532 (+49) 9255 / 532 (+49) 9255 / 532

